

## Certificates for Somboon Thammakumpee

### Basic Information

<b>First Name</b>	Somboon
<b>Last Name</b>	Thammakumpee
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
AP Engineering and Testing, Inc.	Andrew Phukunhaphan	2607 Pomona Blvd., Pomona, CA 91768	8	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 25 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-04-08	Active	Avinash Ralla	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-04-20	Active	Rabiul Hyder	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-04-08	Active	Avinash Ralla	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-04-08	Active	Avinash Ralla	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-04-08	Active	Avinash Ralla	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-04-08	Active	Avinash Ralla	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2023-04-06	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 208 Apparent SpG - Fine Aggregates	2017-05-07	Expired	Seree Yenjai	Lab 1	(No comments)
CT 209 SpG for Soil	2023-04-06	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2025-04-08	Active	Avinash Ralla	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2025-04-08	Active	Avinash Ralla	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-04-08	Active	Avinash Ralla	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2025-04-08	Active	Avinash Ralla	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2025-04-08	Active	Avinash Ralla	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2024-04-20	Active	Rabiul Hyder	Lab 1	(No comments)
CT 301 "R" Value	2023-04-06	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2017-05-08	Expired	Seree Yenjai	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2017-05-08	Expired	Seree Yenjai	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2017-05-08	Expired	Seree Yenjai	Lab 1	(No comments)
CT 366 Stabilometer	2019-05-10	Expired	Seree Yenjai	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 382 AC Content by Ignition Oven	2017-05-08	Expired	Seree Yenjai	Lab 1	(No comments)
CT 521 Compressive Strength - PCC	2023-04-20	Active	Rabiul Hyder	Lab 1	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2020-05-15	Expired	Seree Yenjai	Lab 1	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2020-05-15	Expired	Seree Yenjai	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2017-07-10	Expired	Seree Yenjai	Lab 1	(No comments)

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					