

Certificates for Kim Bainer

Basic Information

First Name	Kim
Last Name	Bainer
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Wood Environment & Infrastructure Solutions, Incorporated	Ian Maclean	6001 Rickenbacker Road, Los Angeles, CA 90040	7	Lab 1

Test Methods

California Test (CT) Certifications

Total 21 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-06-04	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-06-04	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2017-11-17	Expired	Seree Yenjai	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-05-08	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-06-04	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-06-04	Expired	Lauren Smith	Lab 1	Did not participate in the CSP CT 202 for 2022 calendar year. On behalf of IA 136.
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-06-04	Expired	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-06-04	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-06-04	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-06-04	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-06-04	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2024-06-04	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2020-05-08	Expired	Seree Yenjai	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2020-05-08	Expired	Seree Yenjai	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2017-11-17	Expired	Seree Yenjai	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2017-11-17	Expired	Seree Yenjai	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 533 Ball Penetration - PCC	2017-11-17	Expired	Seree Yenjai	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2017-11-17	Expired	Seree Yenjai	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2017-11-17	Expired	Seree Yenjai	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2017-11-17	Expired	Seree Yenjai	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2017-11-17	Expired	Seree Yenjai	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					