

Certificates for Robert Ferguson

Basic Information

First Name	Robert
Last Name	Ferguson
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Earth Systems Pacific - Palmdale	Mark Spykerman	1024 West Avenue, M-4, Palmdale, CA 93551	7	Lab 1

Test Methods

California Test (CT) Certifications

Total 14 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2017-05-02	Expired	Seree Yenjai	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 CEM Sampling - CEM	2017-05-02	Expired	Seree Yenjai	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2017-05-02	Expired	Seree Yenjai	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2017-05-02	Expired	Seree Yenjai	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2018-05-14	Expired	Seree Yenjai	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2018-05-14	Expired	Seree Yenjai	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2017-05-02	Expired	Seree Yenjai	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2017-05-02	Expired	Seree Yenjai	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2017-05-02	Expired	Seree Yenjai	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2017-05-02	Expired	Seree Yenjai	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2017-05-02	Expired	Seree Yenjai	Lab 1	(No comments)
CT 541 Flow Cone	2017-05-02	Expired	Seree Yenjai	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 556 Slump - PCC (JTCP - PCC)	2017-05-02	Expired	Seree Yenjai	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2017-05-02	Expired	Seree Yenjai	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					