

## Certificates for Hector Arciniega

### Basic Information

<b>First Name</b>	Hector
<b>Last Name</b>	Arciniega
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
CITY OF LOS ANGELES STANDARDS DIVISION	Cris Palo	2319 Doris Place, Los Angeles, CA 90031	7	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 4 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2020-02-06	Expired	Seree Yenjai	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 540 Making Cylinders - PCC (JTCP - PCC)	2020-02-13	Expired	Seree Yenjai	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2020-02-06	Expired	Seree Yenjai	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2020-02-06	Expired	Seree Yenjai	Lab 1	(No comments)

### AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					