

Certificates for Chris Cunningham

Basic Information

| | |
|-------------------|------------|
| First Name | Chris |
| Last Name | Cunningham |
| Status | Active |

Associated Labs

| Lab Name | Lab Lab Manager Name | Full Address | Lab Lab District | Page Alias |
|-------------------|----------------------|--------------|------------------|------------|
| No results found. | | | | |

Test Methods

California Test (CT) Certifications

Total 3 items.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-----------------------------------|-----------------|---------|----------------|---------------------|---------------|
| CT 304 Sample Preparation - HMA | 2017-04-28 | Expired | Seree Yenjai | (No lab) | (No comments) |
| CT 308 Bulk SpG and Density - HMA | 2017-04-28 | Expired | Seree Yenjai | (No lab) | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|----------------------------------|-----------------|---------|----------------|---------------------|---------------|
| CT 309 Max SpG and Density - HMA | 2017-04-28 | Expired | Seree Yenjai | (No lab) | (No comments) |

AASHTO/ASTM Proficiencies

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-------------------|-----------------|--------|----------------|---------------------|----------|
| No results found. | | | | | |

Unofficial Copy