

Certificates for Carlos Lopez

Basic Information

First Name	Carlos
Last Name	Lopez
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 4 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2017-04-28	Expired	Seree Yenjai	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2017-04-28	Expired	Seree Yenjai	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2017-04-28	Expired	Seree Yenjai	(No lab)	Created based on CT521 certificate ID22620
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2017-04-28	Expired	Seree Yenjai	(No lab)	Created based on CT521 certificate ID22620

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					