

Certificates for Tony Guillen

Basic Information

First Name	Tony
Last Name	Guillen
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
LOR Geotechnical Group, Incorporated	Mark Anthony Switzer	6121 Quail Valley Court, Riverside, CA 92507	8	Lab 1

Test Methods

California Test (CT) Certifications

Total 19 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2020-06-20	Expired	Seree Yenjai	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2027-03-26	Active	Babak Rezaei	Lab 1	IA#136
CT 125 CEM Sampling - CEM	2020-06-20	Expired	Seree Yenjai	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2027-03-26	Active	Babak Rezaei	Lab 1	IA#136
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2020-06-20	Expired	Seree Yenjai	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2027-03-26	Active	Babak Rezaei	Lab 1	IA#136
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2017-04-14	Expired	Seree Yenjai	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2025-02-17	Active	Alexis England	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2025-02-17	Active	Alexis England	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2020-09-19	Expired	Richard Hibbard	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2020-09-19	Expired	Richard Hibbard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2017-04-14	Expired	Seree Yenjai	Lab 1	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2017-04-14	Expired	Seree Yenjai	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2017-04-14	Expired	Seree Yenjai	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2020-09-19	Expired	Richard Hibbard	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2020-09-19	Expired	Richard Hibbard	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2020-09-19	Expired	Richard Hibbard	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2020-09-19	Expired	Richard Hibbard	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2020-09-19	Expired	Richard Hibbard	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------



Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy