

Certificates for Brian-Kenji Pitcher

Basic Information

First Name	Brian-Kenji
Last Name	Pitcher
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
RT Frankian & Associates	Scott Rudd	26027 Huntington Lane, Suite A, Santa Clarita, CA 91355	7	Lab 1

Test Methods

California Test (CT) Certifications

Total 11 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2021-07-13	Expired	Richard Hibbard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-07-13	Expired	Richard Hibbard	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2021-07-13	Expired	Richard Hibbard	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2021-07-13	Expired	Richard Hibbard	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2021-07-13	Expired	Richard Hibbard	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2021-07-13	Expired	Richard Hibbard	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2021-07-13	Expired	Richard Hibbard	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2021-07-13	Expired	Richard Hibbard	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2021-07-13	Expired	Richard Hibbard	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2021-07-13	Expired	Richard Hibbard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 231 Relative Compaction - Nuclear Gage	2020-05-23	Expired	Seree Yenjai	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy