

Certificates for Frank Harris

Basic Information

First Name	Frank
Last Name	Harris
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
GeoTek, Incorporated	Jordan Brucelas	1548 North Maple Street, Corona, CA 92878	8	Lab 1

Test Methods

California Test (CT) Certifications

Total 17 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Expired	Seree Yenjai	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-07-11	Expired	Seree Yenjai	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2017-04-19	Expired	Seree Yenjai	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2017-04-19	Expired	Seree Yenjai	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2017-04-19	Expired	Seree Yenjai	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Expired	Seree Yenjai	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2017-04-19	Expired	Seree Yenjai	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2017-04-19	Expired	Seree Yenjai	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2022-09-30	Expired	Majid Fehrtosh	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2017-04-07	Expired	Seree Yenjai	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2022-03-18	Expired	Richard Hibbard	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2022-03-18	Expired	Richard Hibbard	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2022-03-18	Expired	Richard Hibbard	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2022-03-18	Expired	Richard Hibbard	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2022-03-18	Expired	Richard Hibbard	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2022-03-18	Expired	Richard Hibbard	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2022-03-18	Expired	Richard Hibbard	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					