

Certificates for Alfonso Arellano

Basic Information

First Name	Alfonso
Last Name	Arellano
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
GEOCON West, Incorporated - Burbank	Phillip Stephens	500 North Victory Boulevard, Burbank, CA 91504	7	Lab 1

Test Methods

California Test (CT) Certifications

Total 12 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	--------------------	--------	----------------	---------------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2022-10-28	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2022-10-28	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2018-04-28	Expired	Seree Yenjai	Lab 1	Created based on CT521 certificate ID22692
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2018-04-28	Expired	Seree Yenjai	Lab 1	Created based on CT521 certificate ID22692
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2018-04-28	Expired	Seree Yenjai	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2018-04-28	Expired	Seree Yenjai	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2016-08-25	Expired	Seree Yenjai	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2018-04-28	Expired	Seree Yenjai	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 540 Making Cylinders - PCC (JTCP - PCC)	2022-10-28	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2022-10-28	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2022-10-28	Expired	Sarbjit Grewal	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2022-10-28	Expired	Sarbjit Grewal	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					