

## Certificates for Scott Calvert

### Basic Information

<b>First Name</b>	Scott
<b>Last Name</b>	Calvert
<b>Status</b>	Active

### Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

### Test Methods

#### California Test (CT) Certifications

Total **29** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Expired	Seree Yenjai	(No lab)	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Seree Yenjai	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-11-22	Expired	Seree Yenjai	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2021-11-22	Expired	Seree Yenjai	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2021-11-22	Expired	Seree Yenjai	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2021-11-22	Expired	Seree Yenjai	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Expired	Seree Yenjai	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-01-12	Expired	Seree Yenjai	(No lab)	(No comments)
CT 204 LL, PL, PI	2018-01-12	Expired	Seree Yenjai	(No lab)	(No comments)
CT 212 Unit Weight of Aggregates	2018-01-12	Expired	Seree Yenjai	(No lab)	(No comments)
CT 213 Organic Impurities of PCC sand	2018-01-12	Expired	Seree Yenjai	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2020-01-08	Expired	Seree Yenjai	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2018-01-12	Expired	Seree Yenjai	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2019-01-12	Expired	Seree Yenjai	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2021-11-22	Expired	Seree Yenjai	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2018-01-12	Expired	Seree Yenjai	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2021-11-22	Expired	Seree Yenjai	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2019-07-19	Expired	Richard Hibbard	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2019-07-19	Expired	Richard Hibbard	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2021-01-25	Expired	Seree Yenjai	(No lab)	Created based on CT521 certificate ID23155

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2021-01-25	Expired	Seree Yenjai	(No lab)	Created based on CT521 certificate ID23155
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2019-02-14	Expired	Seree Yenjai	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2019-02-14	Expired	Seree Yenjai	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2021-01-25	Expired	Seree Yenjai	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2019-07-19	Expired	Richard Hibbard	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2019-07-19	Expired	Richard Hibbard	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2019-07-19	Expired	Richard Hibbard	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2019-07-19	Expired	Richard Hibbard	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2019-07-19	Expired	Richard Hibbard	(No lab)	(No comments)

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy