

Certificates for Larry Camp

Basic Information

First Name	Larry
Last Name	Camp
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2019-01-09	Expired	Seree Yenjai	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2019-01-09	Expired	Seree Yenjai	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2019-01-09	Expired	Seree Yenjai	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2018-02-14	Expired	Seree Yenjai	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2018-02-14	Expired	Seree Yenjai	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2019-01-09	Expired	Seree Yenjai	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2018-02-14	Expired	Seree Yenjai	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2018-02-14	Expired	Seree Yenjai	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2018-02-14	Expired	Seree Yenjai	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2018-02-14	Expired	Seree Yenjai	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2018-02-14	Expired	Seree Yenjai	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2018-02-14	Expired	Seree Yenjai	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 557 Temperature - PCC (JTCP - PCC)	2018-02-14	Expired	Seree Yenjai	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy