

Certificates for James Wright

Basic Information

First Name	James
Last Name	Wright
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total **12** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2020-01-09	Expired	Seree Yenjai	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2020-01-09	Expired	Seree Yenjai	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2020-01-09	Expired	Seree Yenjai	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2019-01-09	Expired	Seree Yenjai	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2019-01-09	Expired	Seree Yenjai	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2022-02-11	Expired	Richard Hibbard	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2022-02-11	Expired	Richard Hibbard	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2022-02-11	Expired	Richard Hibbard	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2022-02-11	Expired	Richard Hibbard	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2022-02-11	Expired	Richard Hibbard	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2022-02-11	Expired	Richard Hibbard	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 557 Temperature - PCC (JTCP - PCC)	2022-02-11	Expired	Richard Hibbard	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					