

Certificates for Ronald Hanson

Basic Information

First Name	Ronald
Last Name	Hanson
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Geo-Advantec, Incorporated	John R. Cromer	457 West Allen Avenue, Suite 113, San Dimas, CA 91773	7	Lab 1

Test Methods

California Test (CT) Certifications

Total 10 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Seree Yenjai	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2020-02-11	Expired	Seree Yenjai	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES	2026-06-09	Active	Rabiul Hyder	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2026-06-09	Active	Rabiul Hyder	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2020-02-11	Expired	Seree Yenjai	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2026-06-09	Active	Rabiul Hyder	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2019-01-17	Expired	Seree Yenjai	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2019-01-17	Expired	Seree Yenjai	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2024-06-09	Expired	Rabiul Hyder	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2024-06-09	Expired	Rabiul Hyder	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy