

Certificates for John Cromer

Basic Information

First Name	John
Last Name	Cromer
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Geo-Advantec Inc.	John R. Cromer	457 West Allen Ave., Suite 113, San Dimas, CA 91773	7	Lab 1

Test Methods

California Test (CT) Certifications

Total 33 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-12-17	Active	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Active	Seree Yenjai	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-12-17	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2019-05-11	Expired	Seree Yenjai	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2023-05-21	Active	Shaya Meisamifard	Lab 1	IA130 Changed to 20210521 in order to obtain 3 years Certs
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2023-05-21	Active	Shaya Meisamifard	Lab 1	IA130 Changed to 20200521 in order to obtain 3 years Cert
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-12-17	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-12-17	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 204 LL, PL, PI	2023-06-08	Active	Shaya Meisamifard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-12-17	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-12-17	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-12-17	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-12-17	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-12-17	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2024-12-17	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2022-08-25	Active	Brandt Houchen	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2023-06-08	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2022-09-15	Active	Majid Fahrtosh	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 375 AC Density by Nuclear Gage	2022-08-25	Active	Brandt Houchen	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2022-09-15	Active	Majid Fahrtoosh	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-03-16	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-03-16	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 521 Compressive Strength - PCC	2023-06-08	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2024-03-16	Active	Ashley Shaw	Lab 1	Date modified to make this test expire with ACI tests. IA 68
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2022-08-25	Active	Brandt Houchen	Lab 1	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2022-08-25	Active	Brandt Houchen	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2022-08-25	Active	Brandt Houchen	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-03-16	Active	Shaya Meisamifard	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-03-16	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-03-16	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2024-03-16	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2024-03-16	Active	Shaya Meisamifard	Lab 1	(No comments)
CT 643 Resistivity and pH Measurements	2022-09-15	Active	Majid Fahrtoosh	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					