

Certificates for John Cromer

Basic Information

First Name	John
Last Name	Cromer
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Geo-Advantec, Incorporated	John R. Cromer	457 West Allen Avenue, Suite 113, San Dimas, CA 91773	7	Lab 1

Test Methods

California Test (CT) Certifications

Total 35 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-12-17	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2025-06-09	Active	Rabiul Hyder	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-12-17	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2019-05-11	Expired	Seree Yenjai	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2026-06-09	Active	Rabiul Hyder	Lab 1	IA130 Changed to 20210521 in order to obtain 3 years Certs
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2023-05-21	Expired	Shaya Meisamifard	Lab 1	IA130 Changed to 20200521 in order to obtain 3 years Cert
CT 125 HMA Sampling - HMA	2026-06-09	Active	Rabiul Hyder	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-12-17	Active	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-12-17	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 204 LL, PL, PI	2025-06-09	Active	Rabiul Hyder	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-12-17	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-12-17	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-12-17	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-12-17	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-12-17	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2024-12-17	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2025-06-19	Active	Jay Horton	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 308 Bulk SpG and Density - HMA	2025-06-09	Active	Rabiul Hyder	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2024-09-15	Active	Majid Fahrtosh	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2024-09-15	Active	Majid Fahrtosh	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2024-09-15	Active	Majid Fahrtosh	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2029-03-15	Active	Brian Ellis	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2029-03-15	Active	Brian Ellis	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2025-06-09	Active	Seree Yenjai	Lab 1	Created based on CT521 certificate ID22988
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2025-06-09	Active	Seree Yenjai	Lab 1	Created based on CT521 certificate ID22988
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2029-03-15	Active	Brian Ellis	Lab 1	Date modified to make this test expire with ACI tests. IA 68

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2025-06-19	Active	Jay Horton	Lab 1	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2023-09-07	Expired	Majid Fahrtoosh	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2023-09-07	Expired	Majid Fahrtoosh	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2029-03-15	Active	Brian Ellis	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2029-03-15	Active	Brian Ellis	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2029-03-15	Active	Brian Ellis	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2029-03-15	Active	Brian Ellis	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2029-03-15	Active	Brian Ellis	Lab 1	(No comments)
CT 643 Resistivity and pH Measurements	2024-09-15	Active	Majid Fahrtoosh	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy