

Certificates for Baldev Singh

Basic Information

First Name	Baldev
Last Name	Singh
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total 26 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-10-30	Expired	Soroosh Amelian	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2020-01-04	Expired	Alex Sotoudehnik	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2023-10-30	Expired	Soroosh Amelian	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES	2022-08-04	Expired	David Small	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2020-01-04	Expired	Alex Sotoudehnik	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2024-01-22	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 125 HMA Sampling - HMA	2022-08-04	Expired	David Small	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2021-02-04	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2023-10-30	Expired	Benjamin Martinez	(No lab)	Did not participate in 2022 CSP CT 202.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 205 Percent Crushed Particles (JTCP - S&A)	2023-10-30	Expired	Soroosh Amelian	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2023-10-30	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2023-10-30	Expired	Husam Makhoul	(No lab)	CSP suspension on 06/03/2022 for nonparticipation. Contact CSP@dot.ca.gov for unsuspension directions
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2023-10-30	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2023-10-30	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2023-10-30	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2020-01-23	Expired	Alex Sotoudehnik	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2024-01-22	Expired	Soroosh Amelian	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2020-01-04	Expired	Alex Sotoudehnik	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2020-01-04	Expired	Alex Sotoudehnik	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2018-01-07	Expired	Alex Sotoudehnik	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2020-01-04	Expired	Alex Sotoudehnik	(No lab)	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2022-08-04	Expired	David Small	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2022-08-04	Expired	David Small	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2022-08-04	Expired	David Small	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2022-08-04	Expired	David Small	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 552 Relative Compaction of Polymer Concrete	2020-01-23	Expired	Alex Sotoudehnik	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2024-01-22	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2024-01-22	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2024-01-22	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2024-01-22	Expired	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2023-12-03	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2024-01-22	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2023-12-03	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2024-01-22	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2023-12-03	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2023-12-03	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2023-12-03	Expired	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2024-01-22	Expired	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2024-01-22	Expired	Sarbjit Grewal	(No lab)	(No comments)

Unofficial Copy