

Certificates for Daniel Ringler

Basic Information

First Name	Daniel
Last Name	Ringler
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Wallace-Kuhl & Associate	David T. Hunn	3050 Industrial Blvd., West Sacramento, California 95691	3	Lab 1

Test Methods

California Test (CT) Certifications

Total 20 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2022-01-11	Expired	Biplab Bhattacharya	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Active	Ed Gamboa	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-01-11	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-01-11	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Active	Ed Gamboa	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2017-09-25	Expired	Ed Gamboa	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2017-09-25	Expired	Ed Gamboa	(No lab)	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2017-09-25	Expired	Ed Gamboa	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2017-09-25	Expired	Ed Gamboa	Lab 1	(No comments)
CT 211 LA Rattler	2017-09-25	Expired	Ed Gamboa	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 212 Unit Weight of Aggregates	2017-09-25	Expired	Ed Gamboa	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2019-12-04	Expired	Ed Gamboa	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2019-12-04	Expired	Ed Gamboa	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2017-09-25	Expired	Ed Gamboa	Lab 1	(No comments)
CT 235 Flat and Elongated Particles	2017-09-25	Expired	Ed Gamboa	(No lab)	(No comments)
CT 304 Sample Preparation - HMA	2017-09-25	Expired	Ed Gamboa	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2017-09-25	Expired	Ed Gamboa	Lab 1	(No comments)
CT 366 Stabilometer	2017-09-25	Expired	Ed Gamboa	Lab 1	(No comments)
CT 370 Moisture Content by Microwave	2017-09-25	Expired	Ed Gamboa	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2017-09-25	Expired	Ed Gamboa	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total **19** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2022-01-11	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2022-01-11	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2022-01-11	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2022-01-11	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2018-09-09	Expired	Ed Gamboa	(No lab)	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2018-09-09	Expired	Ed Gamboa	(No lab)	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2021-10-25	Expired	Biplab Bhattacharya	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2022-01-11	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2021-10-25	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2022-01-11	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2021-10-25	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2021-10-25	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2018-09-09	Expired	Ed Gamboa	(No lab)	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2018-09-09	Expired	Ed Gamboa	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2021-10-25	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T312 Gyratory Compactor	2018-09-09	Expired	Ed Gamboa	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T324 Hamburg Wheel-Track	2018-09-09	Expired	Ed Gamboa	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2022-01-11	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2022-01-11	Expired	Biplab Bhattacharya	(No lab)	(No comments)

Unofficial Copy