

Certificates for Stephen Massie

Basic Information

First Name	Stephen
Last Name	Massie
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Syar Industries - Napa Laboratory	Nick Hall	2301 Napa-Vallejo Highway, Napa, CA 94558	4	Lab 1

Test Methods

California Test (CT) Certifications

Total 8 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2017-12-04	Expired	Ed Gamboa	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2017-12-04	Expired	Ed Gamboa	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Expired	Ed Gamboa	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2017-12-04	Expired	Ed Gamboa	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2017-12-04	Expired	Ed Gamboa	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2017-12-04	Expired	Ed Gamboa	Lab 1	(No comments)
CT 370 Moisture Content by Microwave	2017-08-10	Expired	Ed Gamboa	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2017-08-10	Expired	Ed Gamboa	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					