

Certificates for Spencer James

Basic Information

First Name	Spencer
Last Name	James
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
BoDean Company	Masele Poueu	1060 North Dutton Avenue, Santa Rosa, CA 95401	4	Lab 1

Test Methods

California Test (CT) Certifications

Total 13 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2018-10-06	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2018-10-06	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2018-10-06	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2018-10-06	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2018-10-06	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2018-10-06	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-10-06	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2018-10-06	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2018-10-06	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2017-10-06	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2018-10-06	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 3 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2017-10-06	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2017-10-06	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2017-10-06	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)



Unofficial Copy