

Certificates for Gregory Carr

Basic Information	
First Name	Gregory
Last Name	Carr
Status	Active

Associated Labs				
Total 2 items.				
Lab Name	Manager Name	Full Address	District	Page Alias
RMA Group San Jose	Ali Al-Amin	130 Archer Street, San Jose, CA 95112	4	Lab 1
RMA Group	Matthew Hansen	3150 Fitzgerald Road, Rancho Cordova, CA 95742	3	Lab 2

Test Methods					
California Test (CT) Certifications					
Total 17 items.					
Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-07-30	Active	Matthew Chew	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-07-30	Active	Matthew Chew	Lab 1, Lab 2	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2022-09-29	Active	David Small	Lab 1, Lab 2	(No comments)
CT 375 AC Density by Nuclear Gage	2023-01-05	Active	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-10-12	Active	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-10-12	Active	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 521 Compressive Strength - PCC	2022-09-29	Active	David Small	Lab 1, Lab 2	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2022-09-29	Active	David Small	Lab 1, Lab 2	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2022-09-29	Active	David Small	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 524 Flexural Strength of Rapid Strength - PCC	2022-09-29	Active	David Small	Lab 1, Lab 2	(No comments)
CT 533 Ball Penetration - PCC	2018-01-12	Expired	Paula Kindinger-Wilcox	Lab 1, Lab 2	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-10-12	Active	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-10-12	Active	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 541 Flow Cone	2020-10-30	Expired	David Small	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-10-12	Active	Jackie Treat	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2024-10-12	Active	Jackie Treat	Lab 1, Lab 2	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2024-10-12	Active	Jackie Treat	Lab 1, Lab 2	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy