

Certificates for Andrew Leporini

Basic Information

First Name	Andrew
Last Name	Leporini
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
RMA Group San Jose	Ali Al-Amin	130 Archer Street, San Jose, CA 95112	4	Lab 1

Test Methods

California Test (CT) Certifications

Total 9 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2018-07-20	Expired	Matthew Chew	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 BIT Sampling - BITUMINOUS	2020-08-14	Expired	Matthew Chew	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2020-08-14	Expired	Matthew Chew	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2018-07-20	Expired	Matthew Chew	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2020-01-05	Expired	Matthew Chew	Lab 1	Created based on CT521 certificate ID23469
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2020-01-05	Expired	Matthew Chew	Lab 1	Created based on CT521 certificate ID23469
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2020-08-14	Expired	Matthew Chew	Lab 1	Break Only
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2020-08-14	Expired	Matthew Chew	(No lab)	Break Only
CT 524 Flexural Strength of Rapid Strength - PCC	2020-08-14	Expired	Matthew Chew	Lab 1	Break Only

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					