

## Certificates for Dennis Haney

### Basic Information

<b>First Name</b>	Dennis
<b>Last Name</b>	Haney
<b>Status</b>	Active

### Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
RMA Group San Jose	Ali Al-Amin	130 Archer Street, San Jose, CA 95112	4	Lab 1
RMA Group	Matthew Hansen	3150 Fitzgerald Road, Rancho Cordova, CA 95742	3	Lab 2

### Test Methods

#### California Test (CT) Certifications

Total 18 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2019-02-08	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2019-02-08	Expired	Paula Kindinger-Wilcox	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES	2025-05-15	Active	Ed Gamboa	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2019-02-08	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2022-11-23	Expired	Maryam Shahbazi	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2022-11-23	Expired	Maryam Shahbazi	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2019-02-08	Expired	Paula Kindinger-Wilcox	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA	2025-05-15	Active	Ed Gamboa	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2019-02-08	Expired	Paula Kindinger-Wilcox	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 231 Relative Compaction - Nuclear Gage	2025-05-15	Active	Ed Gamboa	Lab 1, Lab 2	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2020-01-24	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2020-01-24	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 533 Ball Penetration - PCC	2019-02-08	Expired	Paula Kindinger-Wilcox	Lab 1, Lab 2	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2020-01-24	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2020-01-24	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2020-01-24	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2020-01-24	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2020-01-24	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy