

Certificates for Tim Wilkins

Basic Information

First Name	Tim
Last Name	Wilkins
Status	Active

Associated Labs

Total 3 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Gallagher & Burke (DeSilva Gates)	Tracy Zubek	344 High Street, Oakland, CA 94601	4	Lab 1
DeSilva Gates Aggregates	Tracy Zubek	6527 Calaveras Road, Sunol, CA 94586	4	Lab 2
DeSilva Gates/Marysville	Tracy Zubek	4713 Hammonton Road, Marysville, CA 95901	3	Lab 3

Test Methods

California Test (CT) Certifications

Total 28 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-03-11	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Active	Ed Gamboa	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-03-11	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 GEN Sampling - GENERAL	2023-04-13	Active	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2025-03-18	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-03-11	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-03-11	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-03-11	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2023-04-13	Active	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 207 SpG & Absorption - Fine Aggregates	2023-04-13	Active	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
CT 211 LA Rattler	2023-04-13	Active	Jackie Treat	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2025-03-11	Active	Avinash Ralla	Lab 3	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2025-03-11	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-03-11	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2025-03-11	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
CT 229 Durability (JTCP - S&A)	2025-03-11	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2023-04-13	Active	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
CT 235 Flat and Elongated Particles	2023-04-13	Active	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 304 Sample Preparation - HMA	2023-04-13	Active	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2025-03-18	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
CT 308 Bulk SpG and Density - HMA	2023-04-13	Active	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
CT 309 Max SpG and Density - HMA	2023-04-13	Active	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
CT 366 Stabilometer	2023-04-13	Active	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
CT 367 OBC	2023-04-13	Active	Jackie Treat	Lab 1, Lab 3	(No comments)
CT 370 Moisture Content by Microwave	2023-04-13	Active	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
CT 371 Moisture Induced Damage (TSR)	2023-04-13	Active	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
CT 375 AC Density by Nuclear Gage	2020-07-31	Expired	Ed Gamboa	Lab 1, Lab 2, Lab 3	(No comments)
CT 382 AC Content by Ignition Oven	2023-04-13	Active	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)

AASHTO/ASTM Proficiencies

Total **22** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2025-03-18	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2025-03-18	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2025-03-18	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2025-03-18	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2023-04-13	Active	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2023-04-13	Active	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T96 L.A. Rattler	2023-04-13	Active	Jackie Treat	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2025-03-24	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2025-03-18	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2025-03-24	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T210 Aggregate Durability Index	2023-04-13	Active	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2025-03-18	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2025-03-24	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2025-03-24	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2023-04-13	Active	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T304 Uncompacted Void - Fine Aggregate	2023-04-13	Active	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2025-03-24	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T312 Gyratory Compactor	2023-04-13	Active	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T324 Hamburg Wheel-Track	2023-04-13	Active	Jackie Treat	Lab 1, Lab 2	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2025-03-18	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2025-03-18	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
ASTM D4791 Flat and Elongated Particles	2023-04-13	Active	Jackie Treat	Lab 1, Lab 2, Lab 3	(No comments)