

## Certificates for Adriana Uribe

### Basic Information

<b>First Name</b>	Adriana
<b>Last Name</b>	Uribe
<b>Status</b>	Active

### Associated Labs

Total **2** items.

Lab Name	Manager Name	Full Address	District	Page Alias
CT D04 - Richmond Field Laboratory	Santiago Sequeira	3401 Regatta Boulevard, Richmond, CA 94804	4	Lab 1
CT D04 - Materials Laboratory	Venu Gopal	21339 Cabot Boulevard, Hayward, CA 94545	4	Lab 2

### Test Methods

## California Test (CT) Certifications

Total **18** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2027-01-12	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Alex Sotoudehnik	Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-04-15	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2027-01-12	Active	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-04-15	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-04-15	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-04-15	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2024-11-30	Active	Ed Gamboa	Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 207 SpG & Absorption - Fine Aggregates	2024-11-30	Active	Ed Gamboa	Lab 2	(No comments)
CT 211 LA Rattler	2024-04-27	Expired	David Small	Lab 2	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2025-04-15	Incomplete	Avinash Ralla	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2025-04-15	Active	Avinash Ralla	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-04-15	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2025-04-15	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 229 Durability (JTCP - S&A)	2025-04-15	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2027-01-12	Incomplete	Firooz Ahmad Hosainy	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2024-04-27	Expired	David Small	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 368 OBC of OGAC	2024-04-27	Expired	David Small	Lab 2	(No comments)

## AASHTO/ASTM Proficiencies

Total **18** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2027-01-12	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2027-01-12	Incomplete	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2027-01-12	Incomplete	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2027-01-12	Incomplete	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2024-11-30	Active	Ed Gamboa	Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T85 SpG & Absorption - Coarse Aggregates	2024-11-30	Active	Ed Gamboa	Lab 2	(No comments)
AASHTO T96 L.A. Rattler	2023-11-30	Expired	Ed Gamboa	Lab 2	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2023-12-03	Expired	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2027-01-12	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2023-12-03	Expired	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2027-01-12	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2023-12-03	Expired	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2023-12-03	Expired	Sarbjit Grewal	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T304 Uncompacted Void - Fine Aggregate	2026-02-09	Active	Ed Gamboa	Lab 2	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2023-12-03	Incomplete	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2027-01-12	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2027-01-12	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
ASTM D4791 Flat and Elongated Particles	2026-02-09	Active	Ed Gamboa	Lab 2	(No comments)