

Certificates for Harish Thakur

Basic Information

First Name	Harish
Last Name	Thakur
Status	Inactive

Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
CT D04 - San Mateo Field Laboratory	Mahantesh Anigol	1116 South Amphlette Boulevard, Suite 3, San Mateo, CA 94402	4	Lab 1
CT HQ - FIT Team (METS HQ)	Steven Seifert	5900 Folsom Boulevard, Sacramento, CA 95819	59	Lab 2

Test Methods

California Test (CT) Certifications

Total 25 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2020-03-19	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2018-11-17	Expired	Robby Rodriguez	Lab 1	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2019-09-19	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2019-09-19	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES	2022-03-19	Expired	Soroosh Amelian	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2019-09-19	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2019-09-19	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2019-09-19	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2019-09-19	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2022-03-19	Expired	Soroosh Amelian	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2020-03-19	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2019-05-11	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2020-01-16	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2019-05-11	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2019-05-11	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2019-05-11	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2020-01-16	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2019-05-11	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 309 Max SpG and Density - HMA	2019-05-11	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)
CT 342 Portable Skid Tester	2023-02-17	Expired	Rahshaun Spears	Lab 2	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2020-01-16	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2020-01-16	Expired	Paula Kindinger-Wilcox	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2020-01-16	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2019-11-30	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)
CT 552 Relative Compaction of Polymer Concrete	2019-12-04	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------



Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy