

Certificates for Kam Chan

Basic Information

First Name	Kam
Last Name	Chan
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total **16** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Expired	Alex Sotoudehnik	(No lab)	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Alex Sotoudehnik	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2017-04-30	Expired	Alex Sotoudehnik	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2017-04-30	Expired	Alex Sotoudehnik	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2017-04-30	Expired	Alex Sotoudehnik	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2017-04-30	Expired	Alex Sotoudehnik	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Expired	Alex Sotoudehnik	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-04-05	Expired	Alex Sotoudehnik	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2017-06-16	Expired	Alex Sotoudehnik	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2018-04-05	Expired	Alex Sotoudehnik	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-04-05	Expired	Alex Sotoudehnik	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2018-04-05	Expired	Alex Sotoudehnik	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2017-06-16	Expired	Alex Sotoudehnik	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2018-04-05	Expired	Alex Sotoudehnik	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2018-04-05	Expired	Alex Sotoudehnik	(No lab)	(No comments)
CT 382 AC Content by Ignition Oven	2018-05-03	Expired	Alex Sotoudehnik	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 7 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2017-07-13	Expired	Alex Sotoudehnik	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2017-07-13	Expired	Alex Sotoudehnik	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2017-07-13	Expired	Alex Sotoudehnik	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2017-07-13	Expired	Alex Sotoudehnik	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2017-07-13	Expired	Alex Sotoudehnik	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2017-07-13	Expired	Alex Sotoudehnik	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2017-07-13	Expired	Alex Sotoudehnik	(No lab)	(No comments)