

Certificates for Steven Derpich

Basic Information

First Name	Steven
Last Name	Derpich
Status	Active

Associated Labs

Total 4 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Garco Testing Laboratories - San Jose	Hongbin Xie	2326 Kruse Drive, San Jose, CA 95131	4	Lab 1
Garco Testing Laboratories - Salinas	Hongbin Xie	721 Work Street, Salinas, CA 93901	5	Lab 2
Garco Testing Laboratories - Felton	Hongbin Xie	1800 Felton Quarry Road, Felton, CA 95018	5	Lab 3
GarcoTesting Laboratories - Pleasanton	Hongbin Xie	1544 Stanley Boulevard, Pleasanton, CA 94566	4	Lab 4

Test Methods

California Test (CT) Certifications

Total **28** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2027-04-26	Active	Brian Ellis	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2025-09-12	Active	David Small	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2027-04-26	Active	Brian Ellis	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2027-03-08	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2027-04-26	Active	Brian Ellis	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2027-04-26	Active	Brian Ellis	Lab 1, Lab 2, Lab 3, Lab 4	Reinstated 09/12/2023. Successfully participated in 2022 CSP CT 202.
CT 205 Percent Crushed Particles (JTCP - S&A)	2027-04-26	Active	Brian Ellis	Lab 1, Lab 2	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2024-09-16	Active	David Small	Lab 1, Lab 2	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2024-09-16	Active	David Small	Lab 1, Lab 2	(No comments)
CT 208 Apparent SpG - Fine Aggregates	2023-12-30	Expired	David Small	Lab 1	(No comments)
CT 211 LA Rattler	2024-09-16	Active	David Small	Lab 1, Lab 2	(No comments)
CT 212 Unit Weight of Aggregates	2024-09-16	Active	David Small	Lab 1, Lab 2	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2027-04-26	Active	Brian Ellis	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 217 Sand Equivalent (JTCP - S&A)	2027-04-26	Active	Brian Ellis	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2027-04-26	Active	Brian Ellis	Lab 1, Lab 2, Lab 3	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2027-04-26	Active	Brian Ellis	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 229 Durability (JTCP - S&A)	2027-04-26	Active	Brian Ellis	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2024-09-16	Active	David Small	Lab 1, Lab 2	(No comments)
CT 301 "R" Value	2025-10-04	Active	David Small	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2025-10-04	Active	David Small	Lab 1	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2027-03-08	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2, Lab 4	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 308 Bulk SpG and Density - HMA	2025-10-04	Active	David Small	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 309 Max SpG and Density - HMA	2025-10-04	Active	David Small	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 366 Stabilometer	2025-10-04	Active	David Small	Lab 1	(No comments)
CT 370 Moisture Content by Microwave	2023-12-30	Expired	David Small	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 371 Moisture Induced Damage (TSR)	2023-12-30	Expired	David Small	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2024-09-16	Active	David Small	Lab 1, Lab 2	(No comments)
CT 382 AC Content by Ignition Oven	2025-10-04	Active	David Small	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)

AASHTO/ASTM Proficiencies

Total 21 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2027-03-08	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2027-03-08	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2027-03-08	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2027-03-08	Active	Firooz Ahmad Hosainy	Lab 2, Lab 3, Lab 4	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2025-10-04	Active	David Small	Lab 1, Lab 2, Lab 4	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2025-10-04	Active	David Small	Lab 1, Lab 2, Lab 4	(No comments)
AASHTO T96 L.A. Rattler	2024-09-16	Active	David Small	Lab 1	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2027-04-18	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2027-03-08	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2027-04-18	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2027-03-08	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2027-04-18	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2, Lab 4	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2027-04-18	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2, Lab 4	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2024-09-16	Active	David Small	Lab 1	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2023-12-30	Expired	David Small	Lab 1, Lab 2, Lab 4	The previous certification was imputed incorrectly
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2027-04-18	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T312 Gyratory Compactor	2024-09-16	Active	David Small	Lab 1, Lab 2	(No comments)
AASHTO T324 Hamburg Wheel-Track	2024-09-16	Active	David Small	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2027-03-08	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2027-03-08	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2, Lab 4	(No comments)
ASTM D4791 Flat and Elongated Particles	2025-09-12	Active	David Small	Lab 1, Lab 2	(No comments)