

Certificates for Lisa Nordine

Basic Information

| | |
|-------------------|---------|
| First Name | Lisa |
| Last Name | Nordine |
| Status | Active |

Associated Labs

Total **2** items.

| Lab Name | Manager Name | Full Address | District | Page Alias |
|--------------------------------------|--------------|---|----------|------------|
| Gallagher & Burke (DeSilva Gates) | Tracy Zubek | 344 High Street, Oakland, CA 94601 | 4 | Lab 1 |
| DeSilva Gates Aggregates | Tracy Zubek | 6527 Calaveras Road, Sunol, CA 94586 | 4 | Lab 2 |

Test Methods

California Test (CT) Certifications

Total **20** items.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|--------|----------------------|---------------------|---------------|
| CT 105 Calculations - Gradings (JTCP - HMA I / S&A) | 2027-01-12 | Active | Firooz Ahmad Hosainy | Lab 1, Lab 2 | (No comments) |
| CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A) | 2027-01-12 | Active | Firooz Ahmad Hosainy | Lab 1, Lab 2 | (No comments) |
| CT 125 HMA Sampling - HMA (JTCP - HMA I) | 2027-01-12 | Active | Firooz Ahmad Hosainy | Lab 1, Lab 2 | (No comments) |
| CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A) | 2026-02-03 | Active | Gabriela Lopez | Lab 1, Lab 2 | (No comments) |
| CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A) | 2026-02-03 | Active | Gabriela Lopez | Lab 1, Lab 2 | (No comments) |
| CT 205 Percent Crushed Particles (JTCP - S&A) | 2026-02-03 | Active | Gabriela Lopez | Lab 1, Lab 2 | (No comments) |
| CT 206 SpG & Absorption - Coarse Aggregates | 2026-04-17 | Active | Ed Gamboa | Lab 1, Lab 2 | (No comments) |
| CT 207 SpG & Absorption - Fine Aggregates | 2026-04-17 | Active | Ed Gamboa | Lab 1, Lab 2 | (No comments) |
| CT 211 LA Rattler | 2026-04-17 | Active | Ed Gamboa | Lab 1 | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|--|-----------------|--------|----------------------|---------------------|---------------|
| CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A) | 2026-02-03 | Active | Gabriela Lopez | (No lab) | (No comments) |
| CT 217 Sand Equivalent (JTCP - S&A) | 2026-02-03 | Active | Gabriela Lopez | Lab 1, Lab 2 | (No comments) |
| CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A) | 2026-02-03 | Active | Gabriela Lopez | Lab 1, Lab 2 | (No comments) |
| CT 227 Cleanness Value (JTCP - S&A) | 2026-02-03 | Active | Gabriela Lopez | Lab 1, Lab 2 | (No comments) |
| CT 229 Durability (JTCP - S&A) | 2026-02-03 | Active | Gabriela Lopez | Lab 1, Lab 2 | (No comments) |
| CT 234 Uncompacted void - Fine Aggregates | 2026-04-17 | Active | Ed Gamboa | Lab 1, Lab 2 | (No comments) |
| CT 235 Flat and Elongated Particles | 2026-04-17 | Active | Ed Gamboa | Lab 1, Lab 2 | (No comments) |
| CT 304 Sample Preparation - HMA | 2026-04-17 | Active | Ed Gamboa | Lab 1, Lab 2 | (No comments) |
| CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I) | 2027-01-12 | Active | Firooz Ahmad Hosainy | Lab 1, Lab 2 | (No comments) |
| CT 371 Moisture Induced Damage (TSR) | 2026-04-17 | Active | Ed Gamboa | Lab 1, Lab 2 | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|----------------------------|-----------------|--------|----------------|---------------------|---------------|
| CT 389 Hamburg Wheel-Track | 2026-04-17 | Active | Ed Gamboa | Lab 1, Lab 2 | (No comments) |

AASHTO/ASTM Proficiencies

Total **20** items.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|--------|----------------------|---------------------|---------------|
| AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I) | 2027-01-12 | Active | Firooz Ahmad Hosainy | Lab 1, Lab 2 | (No comments) |
| AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I) | 2027-01-12 | Active | Firooz Ahmad Hosainy | Lab 1, Lab 2 | (No comments) |
| AASHTO R47 Reducing Samples of HMA (JTCP - HMA I) | 2027-01-12 | Active | Firooz Ahmad Hosainy | Lab 1, Lab 2 | (No comments) |
| AASHTO R76 Reducing Samples of Agg (JTCP - HMA I) | 2027-01-12 | Active | Firooz Ahmad Hosainy | Lab 1, Lab 2 | (No comments) |
| AASHTO T84 SpG & Absorption - Fine Aggregates | 2026-04-17 | Active | Ed Gamboa | Lab 1, Lab 2 | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|--------|----------------------|---------------------|---------------|
| AASHTO T85 SpG & Absorption - Coarse Aggregates | 2026-04-17 | Active | Ed Gamboa | Lab 1, Lab 2 | (No comments) |
| AASHTO T96 L.A. Rattler | 2026-04-17 | Active | Ed Gamboa | Lab 1, Lab 2 | (No comments) |
| AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II) | 2026-11-15 | Active | Gabriela Lopez | Lab 1, Lab 2 | (No comments) |
| AASHTO T176 Sand Equivalent (JTCP - HMA I) | 2027-01-12 | Active | Firooz Ahmad Hosainy | Lab 1, Lab 2 | (No comments) |
| AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II) | 2026-11-15 | Active | Gabriela Lopez | Lab 1, Lab 2 | (No comments) |
| AASHTO T255 Evaporable Moisture Content (JTCP - HMA I) | 2027-01-12 | Active | Firooz Ahmad Hosainy | Lab 1, Lab 2 | (No comments) |
| AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II) | 2026-11-15 | Active | Gabriela Lopez | Lab 1, Lab 2 | (No comments) |
| AASHTO T275 Bulk SpG - HMA (JTCP - HMA II) | 2026-11-15 | Active | Gabriela Lopez | Lab 1, Lab 2 | (No comments) |
| AASHTO T283 Moisture Induced Damage (TSR) | 2026-04-17 | Active | Ed Gamboa | Lab 1, Lab 2 | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|--------|-------------------------|---------------------|------------------|
| AASHTO T304 Uncompacted Void - Fine Aggregate | 2026-04-17 | Active | Ed Gamboa | Lab 1, Lab 2 | (No comments) |
| AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II) | 2026-11-15 | Active | Gabriela Lopez | Lab 1, Lab 2 | (No comments) |
| AASHTO T312 Gyratory Compactor | 2026-04-17 | Active | Ed Gamboa | Lab 1, Lab 2 | (No comments) |
| AASHTO T324 Hamburg Wheel-Track | 2026-04-17 | Active | Ed Gamboa | Lab 1, Lab 2 | (No comments) |
| AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I) | 2027-01-12 | Active | Firooz Ahmad Hosainy | Lab 1, Lab 2 | (No comments) |
| AASHTO T335 Percentage of Fracture (JTCP - HMA I) | 2027-01-12 | Active | Firooz Ahmad Hosainy | Lab 1, Lab 2 | (No comments) |