

Certificates for Lisa Nordine

Basic Information

First Name	Lisa
Last Name	Nordine
Status	Active

Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Gallagher & Burke (DeSilva Gates)	Tracy Zubek	344 High Street, Oakland, CA 94601	4	Lab 1
DeSilva Gates Aggregates	Tracy Zubek	6527 Calaveras Road, Sunol, CA 94586	4	Lab 2

Test Methods

California Test (CT) Certifications

Total 23 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-02-07	Active	Soroosh Amelian	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2023-02-07	Active	Soroosh Amelian	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2024-01-22	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-02-07	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2023-02-07	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2023-02-07	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2022-04-03	Expired	Ed Gamboa	Lab 1, Lab 2	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2022-04-03	Expired	Ed Gamboa	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 211 LA Rattler	2022-04-02	Expired	Ed Gamboa	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2023-02-07	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2023-02-07	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2023-02-07	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2023-02-07	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 229 Durability (JTCP - S&A)	2023-02-07	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2022-04-02	Expired	Ed Gamboa	Lab 1, Lab 2	(No comments)
CT 304 Sample Preparation - HMA	2018-04-04	Expired	Paula Kindinger-Wilcox	Lab 1, Lab 2	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2024-01-22	Active	Soroosh Amelian	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 308 Bulk SpG and Density - HMA	2018-04-04	Expired	Paula Kindinger-Wilcox	Lab 1, Lab 2	(No comments)
CT 309 Max SpG and Density - HMA	2018-04-04	Expired	Paula Kindinger-Wilcox	Lab 1, Lab 2	(No comments)
CT 370 Moisture Content by Microwave	2018-04-04	Expired	Paula Kindinger-Wilcox	Lab 1, Lab 2	(No comments)
CT 371 Moisture Induced Damage (TSR)	2022-04-03	Expired	Ed Gamboa	Lab 1, Lab 2	(No comments)
CT 375 AC Density by Nuclear Gage	2020-07-31	Expired	Ed Gamboa	Lab 1, Lab 2	(No comments)
CT 382 AC Content by Ignition Oven	2018-04-04	Expired	Paula Kindinger-Wilcox	Lab 1, Lab 2	(No comments)

AASHTO/ASTM Proficiencies

Total **20** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2024-01-22	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2024-01-22	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2024-01-22	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2024-01-22	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2024-04-06	Active	Ed Gamboa	Lab 1, Lab 2	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2024-04-06	Active	Ed Gamboa	Lab 1, Lab 2	(No comments)
AASHTO T96 L.A. Rattler	2024-04-06	Active	Ed Gamboa	Lab 1, Lab 2	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2023-08-27	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2024-01-22	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2023-08-27	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2024-01-22	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2023-08-27	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2023-08-27	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2024-04-06	Active	Ed Gamboa	Lab 1, Lab 2	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2024-04-06	Active	Ed Gamboa	Lab 1, Lab 2	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2023-08-27	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
AASHTO T312 Gyratory Compactor	2024-04-06	Active	Ed Gamboa	Lab 1, Lab 2	(No comments)
AASHTO T324 Hamburg Wheel-Track	2024-04-06	Active	Ed Gamboa	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2024-01-22	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2024-01-22	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)

Unofficial Copy