

## Certificates for Nicholas Gaeta

### Basic Information

<b>First Name</b>	Nicholas
<b>Last Name</b>	Gaeta
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Garco Testing Laboratories - San Jose	Hongbin Xie	2326 Kruse Drive, San Jose, CA 95131	4	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 5 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Expired	Paula Kindinger- Wilcox	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2020-05-11	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2020-05-11	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)

## AASHTO/ASTM Proficiencies

Total 8 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2019-11-21	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2019-11-21	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2019-11-21	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2019-11-21	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2017-11-23	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)
AASHTO T312 Gyratory Compactor	2019-11-21	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)
AASHTO T324 Hamburg Wheel-Track	2019-11-21	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2019-11-21	Expired	Paula Kindinger-Wilcox	Lab 1	(No comments)