

Certificates for Gene Malonzo

Basic Information

First Name	Gene
Last Name	Malonzo
Status	Active

Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
CT D04 - San Jose Field Laboratory	Gurind Joshi	1007 Knox Avenue, San Jose, CA 95122	4	Lab 1
CT D04 - Construction		, , CA	4	Lab 2

Test Methods

California Test (CT) Certifications

Total 6 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-05-20	Expired	David Small	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-05-20	Expired	David Small	Lab 1	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2022-05-20	Expired	David Small	Lab 1	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2022-05-20	Expired	David Small	Lab 1	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2022-05-20	Expired	David Small	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2022-05-20	Expired	David Small	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					