

Certificates for Darrell Tornow

Basic Information

First Name	Darrell
Last Name	Tornow
Status	Active

Associated Labs

Total **1** item.

Lab Name	Manager Name	Full Address	District	Page Alias
CT HQ - Structure Construction		, , CA	59	Lab 1

Test Methods

California Test (CT) Certifications

Total **11** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2019-08-10	Expired	Victor Antido	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2019-08-10	Expired	Victor Antido	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2022-05-27	Expired	David Small	(No lab)	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2022-05-27	Expired	David Small	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2022-05-27	Expired	David Small	Lab 1	(No comments)
CT 529 Proportions in PCC - Coarse Aggregates	2019-08-10	Expired	Victor Antido	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2019-08-10	Expired	Victor Antido	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2019-08-10	Expired	Victor Antido	(No lab)	(No comments)
CT 541 Flow Cone	2019-08-10	Expired	Victor Antido	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2022-05-27	Expired	David Small	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 557 Temperature - PCC (JTCP - PCC)	2022-05-27	Expired	David Small	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					