

Certificates for Frank Mina

Basic Information

First Name	Frank
Last Name	Mina
Status	Active

Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Verdantas Inc.	Allan Santos	16691 Millikan Ave, Irvine, CA 92606	12	Lab 1
Verdantas Inc.	Matthew Vinet	41715 Enterprise Circle North, Suite 103, Temecula, CA 92590	8	Lab 2

Test Methods

California Test (CT) Certifications

Total 26 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2026-12-22	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Robby Rodriguez	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2026-12-22	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2026-12-22	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2026-09-01	Active	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2026-09-01	Active	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2026-09-01	Active	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2017-08-31	Expired	Robby Rodriguez	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 207 SpG & Absorption - Fine Aggregates	2017-08-31	Expired	Robby Rodriguez	Lab 1, Lab 2	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2026-09-01	Active	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2026-09-01	Active	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2026-09-01	Active	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2026-09-01	Active	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 229 Durability (JTCP - S&A)	2026-09-01	Active	Gabriela Lopez	Lab 1, Lab 2	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2026-12-22	Active	Firooz Ahmad Hosainy	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2026-11-05	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2026-11-05	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2026-02-27	Active	Roy(Chip) Denner	Lab 1, Lab 2	Created based on CT521 certificate ID27609
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2026-02-27	Active	Roy(Chip) Denner	Lab 1, Lab 2	Created based on CT521 certificate ID27609
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2026-11-05	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2025-03-01	Active	Roy(Chip) Denner	Lab 1, Lab 2	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2026-11-05	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2026-11-05	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2026-11-05	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2026-11-05	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 557 Temperature - PCC (JTCP - PCC)	2026-11-05	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)

AASHTO/ASTM Proficiencies

Total 8 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2026-12-22	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2026-12-22	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2026-12-22	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2026-12-22	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2026-12-22	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2026-12-22	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2026-12-22	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2026-12-22	Active	Firooz Ahmad Hosainy	Lab 1, Lab 2	(No comments)

Unofficial Copy