

Certificates for Frank Mina

Basic Information

| | |
|-------------------|--------|
| First Name | Frank |
| Last Name | Mina |
| Status | Active |

Associated Labs

Total 2 items.

| Lab Name | Manager Name | Full Address | District | Page Alias |
|----------------|---------------|--|----------|------------|
| Verdantas Inc. | Allan Santos | 16691 Millikan Ave, Irvine, CA 92606 | 12 | Lab 1 |
| Verdantas Inc. | Matthew Vinet | 41715 Enterprise Circle North, Suite 103, Temecula, CA 92590 | 8 | Lab 2 |

Test Methods

California Test (CT) Certifications

Total 26 items.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|-------------|-----------------|--------|----------------|---------------------|----------|
|-------------|-----------------|--------|----------------|---------------------|----------|

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|---------|----------------------|---------------------|---------------|
| CT 105 Calculations - Gradings (JTCP - HMA I / S&A) | 2026-12-22 | Active | Firooz Ahmad Hosainy | Lab 1, Lab 2 | (No comments) |
| CT 106 Definitions - Specific Gravity (SpG) | 2023-06-30 | Expired | Robby Rodriguez | Lab 1, Lab 2 | (No comments) |
| CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A) | 2026-12-22 | Active | Firooz Ahmad Hosainy | Lab 1, Lab 2 | (No comments) |
| CT 125 HMA Sampling - HMA (JTCP - HMA I) | 2026-12-22 | Active | Firooz Ahmad Hosainy | Lab 1, Lab 2 | (No comments) |
| CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A) | 2026-09-01 | Active | Gabriela Lopez | Lab 1, Lab 2 | (No comments) |
| CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A) | 2026-09-01 | Active | Gabriela Lopez | Lab 1, Lab 2 | (No comments) |
| CT 205 Percent Crushed Particles (JTCP - S&A) | 2026-09-01 | Active | Gabriela Lopez | Lab 1, Lab 2 | (No comments) |
| CT 206 SpG & Absorption - Coarse Aggregates | 2017-08-31 | Expired | Robby Rodriguez | Lab 1, Lab 2 | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|--|-----------------|---------|----------------------|---------------------|---------------|
| CT 207 SpG & Absorption - Fine Aggregates | 2017-08-31 | Expired | Robby Rodriguez | Lab 1, Lab 2 | (No comments) |
| CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A) | 2026-09-01 | Active | Gabriela Lopez | Lab 1, Lab 2 | (No comments) |
| CT 217 Sand Equivalent (JTCP - S&A) | 2026-09-01 | Active | Gabriela Lopez | Lab 1, Lab 2 | (No comments) |
| CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A) | 2026-09-01 | Active | Gabriela Lopez | Lab 1, Lab 2 | (No comments) |
| CT 227 Cleanness Value (JTCP - S&A) | 2026-09-01 | Active | Gabriela Lopez | Lab 1, Lab 2 | (No comments) |
| CT 229 Durability (JTCP - S&A) | 2026-09-01 | Active | Gabriela Lopez | Lab 1, Lab 2 | (No comments) |
| CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I) | 2026-12-22 | Active | Firooz Ahmad Hosainy | (No lab) | (No comments) |
| CT 504 Air Content of PCC - Pressure Method (JTCP - PCC) | 2026-11-05 | Active | Dalton LaBoskey | Lab 1, Lab 2 | (No comments) |
| CT 518 Unit Weight - PCC (JTCP - PCC) | 2026-11-05 | Active | Dalton LaBoskey | Lab 1, Lab 2 | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|--------|------------------|---------------------|--|
| CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231) | 2026-02-27 | Active | Roy(Chip) Denner | Lab 1, Lab 2 | Created based on CT521 certificate ID27609 |
| CT 521.1 Compressive Strength - PCC (ASTM C39 / C617) | 2026-02-27 | Active | Roy(Chip) Denner | Lab 1, Lab 2 | Created based on CT521 certificate ID27609 |
| CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC) | 2026-11-05 | Active | Dalton LaBoskey | Lab 1, Lab 2 | (No comments) |
| CT 523.2 Section B.3 Flexural Strength (Lab Test) | 2025-03-01 | Active | Roy(Chip) Denner | Lab 1, Lab 2 | (No comments) |
| CT 539 Sampling Fresh Concrete (JTCP - PCC) | 2026-11-05 | Active | Dalton LaBoskey | Lab 1, Lab 2 | (No comments) |
| CT 540 Making Cylinders - PCC (JTCP - PCC) | 2026-11-05 | Active | Dalton LaBoskey | Lab 1, Lab 2 | (No comments) |
| CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC) | 2026-11-05 | Active | Dalton LaBoskey | Lab 1, Lab 2 | (No comments) |
| CT 556 Slump - PCC (JTCP - PCC) | 2026-11-05 | Active | Dalton LaBoskey | Lab 1, Lab 2 | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---------------------------------------|-----------------|--------|-----------------|---------------------|---------------|
| CT 557 Temperature - PCC (JTCP - PCC) | 2026-11-05 | Active | Dalton LaBoskey | Lab 1, Lab 2 | (No comments) |

AASHTO/ASTM Proficiencies

Total 8 items.

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|---|-----------------|--------|----------------------|---------------------|---------------|
| AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I) | 2026-12-22 | Active | Firooz Ahmad Hosainy | Lab 1, Lab 2 | (No comments) |
| AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I) | 2026-12-22 | Active | Firooz Ahmad Hosainy | Lab 1, Lab 2 | (No comments) |
| AASHTO R47 Reducing Samples of HMA (JTCP - HMA I) | 2026-12-22 | Active | Firooz Ahmad Hosainy | Lab 1, Lab 2 | (No comments) |
| AASHTO R76 Reducing Samples of Agg (JTCP - HMA I) | 2026-12-22 | Active | Firooz Ahmad Hosainy | Lab 1, Lab 2 | (No comments) |
| AASHTO T176 Sand Equivalent (JTCP - HMA I) | 2026-12-22 | Active | Firooz Ahmad Hosainy | Lab 1, Lab 2 | (No comments) |

| Test Method | Expiration Date | Status | IA Responsible | Within Lab(s) Scope | Comments |
|--|-----------------|--------|----------------------|---------------------|---------------|
| AASHTO T255 Evaporable Moisture Content (JTCP - HMA I) | 2026-12-22 | Active | Firooz Ahmad Hosainy | Lab 1, Lab 2 | (No comments) |
| AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I) | 2026-12-22 | Active | Firooz Ahmad Hosainy | Lab 1, Lab 2 | (No comments) |
| AASHTO T335 Percentage of Fracture (JTCP - HMA I) | 2026-12-22 | Active | Firooz Ahmad Hosainy | Lab 1, Lab 2 | (No comments) |

Unofficial Copy