

## Certificates for Frank Mina

### Basic Information

<b>First Name</b>	Frank
<b>Last Name</b>	Mina
<b>Status</b>	Active

### Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Leighton Consulting Inc.	Allan Santos	17781 Cowan , Irvine, CA 92614	12	Lab 1
Leighton Consulting, Inc.	Matthew Vinet	41715 Enterprise Circle North, Ste 103, Temecula, CA 92590	8	Lab 2

### Test Methods

#### California Test (CT) Certifications

Total 23 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2021-09-28	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Active	Robby Rodriguez	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-09-28	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2021-09-28	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2021-09-28	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2021-09-28	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2017-08-31	Expired	Robby Rodriguez	Lab 1, Lab 2	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2017-08-31	Expired	Robby Rodriguez	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2021-09-28	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2021-09-28	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2021-09-28	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2021-09-28	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 229 Durability (JTCP - S&A)	2021-09-28	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2021-05-14	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2021-05-14	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 521 Compressive Strength - PCC	2020-02-05	Expired	Seree Yenjai	Lab 1, Lab 2	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2020-02-05	Expired	Seree Yenjai	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2020-02-05	Expired	Seree Yenjai	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2021-05-14	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2021-05-14	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2021-05-14	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2021-05-14	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2021-05-14	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					