

## Certificates for Scott Watson

### Basic Information

<b>First Name</b>	Scott
<b>Last Name</b>	Watson
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Leighton Consulting, Inc.	Matthew Vinet	41715 Enterprise Circle North, Ste 103, Temecula, CA 92590	8	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 10 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2020-04-22	Expired	Roy(Chip) Denner	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2023-04-10	Active	Roy(Chip) Denner	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES	2025-03-29	Active	Robby Rodriguez	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2020-04-22	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2020-04-22	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2025-03-29	Active	Robby Rodriguez	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2020-04-22	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2020-04-22	Expired	Roy(Chip) Denner	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2024-03-29	Active	Robby Rodriguez	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2022-04-03	Expired	Roy(Chip) Denner	Lab 1	(No comments)

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy