

Certificates for Francisco Lazaro

Basic Information

First Name	Francisco
Last Name	Lazaro
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total **18** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2017-02-17	Expired	Ashley Shaw	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2019-10-18	Expired	Seree Yenjai	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2017-02-17	Expired	Ashley Shaw	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2017-02-17	Expired	Ashley Shaw	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2019-10-18	Expired	Seree Yenjai	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2017-02-17	Expired	Ashley Shaw	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2019-10-18	Expired	Seree Yenjai	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2023-04-14	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2023-04-14	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2019-10-18	Expired	Seree Yenjai	(No lab)	FIELD FABRICATION ONLY

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2019-10-18	Expired	Seree Yenjai	(No lab)	FIELD FABRICATION ONLY
CT 524 Flexural Strength of Rapid Strength - PCC	2017-02-17	Expired	Ashley Shaw	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2019-10-18	Expired	Seree Yenjai	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2023-04-14	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2023-04-14	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2023-04-14	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2023-04-14	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2023-04-14	Expired	Biplab Bhattacharya	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy