

Certificates for Francisco Gonzalez

Basic Information

First Name	Francisco
Last Name	Gonzalez
Status	Active

Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Geocon	Jeremy Zorne	3160 Gold Valley Drive, Suite 800, Rancho Cordova, CA 95742	3	Lab 1

Test Methods

California Test (CT) Certifications

Total 15 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2023-06-30	Expired	Ignocencio Herrera	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES	2025-03-14	Active	Ed Gamboa	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2025-03-14	Active	Ed Gamboa	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2025-03-14	Active	Ed Gamboa	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2025-03-14	Active	Ed Gamboa	Lab 1	(No comments)
CT 375 AC Density by Nuclear Gage	2025-03-14	Active	Ed Gamboa	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2020-12-12	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2020-12-12	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 533 Ball Penetration - PCC	2019-03-13	Expired	Bomasur Banzon	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2020-12-12	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2020-12-12	Expired	Biplab Bhattacharya	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2020-12-12	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 552 Relative Compaction of Polymer Concrete	2020-04-05	Expired	Bomasur Banzon	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2020-12-12	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2020-12-12	Expired	Biplab Bhattacharya	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					