

## Certificates for Alex Samano

### Basic Information

<b>First Name</b>	Alex
<b>Last Name</b>	Samano
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Sully Miller Contracting Company	Michael Ramos	2600 Avenida Barbosa, Irwindale, CA 91706	7	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 24 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2021-02-28	Expired	Biplab Bhattacharya	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Active	Majid Fahrtoosh	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-02-28	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2018-04-15	Expired	Majid Fahrtoosh	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2018-04-15	Expired	Majid Fahrtoosh	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2021-02-28	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Active	Majid Fahrtoosh	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-04-15	Expired	Majid Fahrtoosh	Lab 1	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2018-04-15	Expired	Majid Fahrtoosh	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2018-04-15	Expired	Majid Fahrtoosh	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 207 SpG & Absorption - Fine Aggregates	2018-04-15	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 211 LA Rattler	2018-04-15	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2018-04-15	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-04-15	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2018-04-15	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2018-04-15	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2018-04-15	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2018-04-15	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2018-04-15	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 366 Stabilometer	2018-04-15	Expired	Majid Fahrtosh	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 370 Moisture Content by Microwave	2018-04-15	Expired	Majid Fahrtoosh	Lab 1	(No comments)
CT 371 Moisture Induced Damage (TSR)	2017-04-15	Expired	Majid Fahrtoosh	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2018-04-15	Expired	Majid Fahrtoosh	Lab 1	(No comments)
CT 384 Combined Grade for HMA using up to 25% RAP	2017-04-15	Expired	Majid Fahrtoosh	(No lab)	(No comments)

## AASHTO/ASTM Proficiencies

Total 19 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2021-02-28	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2021-02-28	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2021-02-28	Expired	Biplab Bhattacharya	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2021-02-28	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2017-04-15	Expired	Majid Fehrtosh	Lab 1	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2017-04-15	Expired	Majid Fehrtosh	Lab 1	(No comments)
AASHTO T96 L.A. Rattler	2017-04-15	Expired	Majid Fehrtosh	Lab 1	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2021-02-28	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2017-04-15	Expired	Majid Fehrtosh	Lab 1	(No comments)
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2021-02-28	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2021-02-28	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2017-04-15	Expired	Majid Fehrtosh	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2017-04-15	Expired	Majid Fahrtosh	Lab 1	(No comments)
AASHTO T283 Moisture Induced Damage (TSR)	2017-04-15	Expired	Majid Fahrtosh	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2017-04-15	Expired	Majid Fahrtosh	Lab 1	(No comments)
AASHTO T312 Gyrotory Compactor	2017-04-15	Expired	Majid Fahrtosh	Lab 1	(No comments)
AASHTO T324 Hamburg Wheel-Track	2017-04-15	Expired	Majid Fahrtosh	Lab 1	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2021-02-28	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2021-02-28	Expired	Biplab Bhattacharya	Lab 1	(No comments)