

## Certificates for Victor Nguyen

### Basic Information

<b>First Name</b>	Victor
<b>Last Name</b>	Nguyen
<b>Status</b>	Active

### Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
----------	----------------------	--------------	------------------	------------

No results found.

### Test Methods

### California Test (CT) Certifications

Total 7 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2018-06-08	Expired	Roberto Jarquin	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2018-06-08	Expired	Roberto Jarquin	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-06-08	Expired	Roberto Jarquin	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-06-08	Expired	Roberto Jarquin	(No lab)	(No comments)
CT 301 "R" Value	2020-09-27	Expired	Majid Fehrtosh	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2018-06-08	Expired	Roberto Jarquin	(No lab)	Created based on CT521 certificate ID37700
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2018-06-08	Expired	Roberto Jarquin	(No lab)	Created based on CT521 certificate ID37700

## AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					



Unofficial Copy