

Certificates for Alvaro Farnetti

Basic Information

First Name	Alvaro
Last Name	Farnetti
Status	Active

Associated Labs

Total 3 items.

Lab Name	Manager Name	Full Address	District	Page Alias
G3 Quality, Inc.	Matthew Ramos	13850 Cerritos Corporate Dr., Unit E, Cerritos, CA 90703	7	Lab 1
G3 Quality, Inc. – Mobile Lab #2	Matthew Ramos	254 E. Norris Rd., Suite 5, Bakersfield, CA 93308	11	Lab 2
Union Materials Testing Inc.	Adam Sinutko	2101 East Ventura Blvd., Oxnard, CA 93036	7	Lab 3

Test Methods

California Test (CT) Certifications

Total 35 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-02-12	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 3	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Active	Majid Fahrtosh	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2020-04-18	Expired	Majid Fahrtosh	Lab 1, Lab 2, Lab 3	IA 112
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-02-12	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2020-04-18	Expired	Majid Fahrtosh	Lab 1, Lab 2, Lab 3	IA 112
CT 125 CEM Sampling - CEM	2020-04-18	Expired	Majid Fahrtosh	Lab 1, Lab 3	IA 112
CT 125 GEN Sampling - GENERAL	2020-04-18	Expired	Majid Fahrtosh	Lab 1, Lab 2, Lab 3	IA 112
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2024-02-12	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-07-19	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-07-19	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-07-19	Active	Soroosh Amelian	Lab 1, Lab 3	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2022-05-04	Expired	Martiniano Ruiz	Lab 1, Lab 2, Lab 3	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2022-05-04	Expired	Martiniano Ruiz	Lab 1, Lab 3	(No comments)
CT 211 LA Rattler	2023-03-23	Active	Brandt Houchen	Lab 1, Lab 3	IA 112
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-07-19	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-07-19	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-07-19	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-07-19	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	(No comments)
CT 229 Durability (JTCP - S&A)	2024-07-19	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2022-05-04	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 235 Flat and Elongated Particles	2022-05-04	Expired	Martiniano Ruiz	Lab 1, Lab 3	(No comments)
CT 304 Sample Preparation - HMA	2023-03-23	Active	Brandt Houchen	Lab 1, Lab 3	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2024-02-12	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2022-05-04	Expired	Martiniano Ruiz	Lab 1, Lab 2, Lab 3	(No comments)
CT 309 Max SpG and Density - HMA	2022-05-04	Expired	Martiniano Ruiz	Lab 1, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 370 Moisture Content by Microwave	2022-05-14	Expired	Martiniano Ruiz	Lab 1, Lab 3	(No comments)
CT 382 AC Content by Ignition Oven	2022-05-04	Expired	Martiniano Ruiz	Lab 1	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2025-10-09	Active	Sarbjit Grewal	Lab 1, Lab 3	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2025-10-09	Active	Sarbjit Grewal	Lab 1, Lab 3	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2025-10-09	Active	Sarbjit Grewal	Lab 1, Lab 3	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2025-10-09	Active	Sarbjit Grewal	Lab 1, Lab 3	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2025-10-09	Active	Sarbjit Grewal	Lab 1, Lab 3	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2025-10-09	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2025-10-09	Active	Sarbjit Grewal	Lab 1, Lab 3	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2025-10-09	Active	Sarbjit Grewal	Lab 1, Lab 3	(No comments)

AASHTO/ASTM Proficiencies

Total **19** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2024-02-12	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2024-02-12	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2024-02-12	Active	Sarbjit Grewal	Lab 1, Lab 3	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2024-02-12	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2023-03-23	Active	Brandt Houchen	Lab 1, Lab 3	IA 112
AASHTO T85 SpG & Absorption - Coarse Aggregates	2022-05-04	Expired	Martiniano Ruiz	Lab 1, Lab 2, Lab 3	IA 112
AASHTO T96 L.A. Rattler	2023-03-23	Active	Brandt Houchen	Lab 1, Lab 3	IA 112

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2024-04-09	Active	Sarbjit Grewal	Lab 1, Lab 3	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2024-02-12	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2024-04-09	Active	Sarbjit Grewal	Lab 1, Lab 3	(No comments)
AASHTO T210 Aggregate Durability Index	2023-03-23	Active	Brandt Houchen	Lab 1, Lab 2	IA 112
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2021-02-28	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2024-02-12	Active	Sarbjit Grewal	Lab 1, Lab 2	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2024-04-09	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2024-04-09	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2024-04-09	Active	Sarbjit Grewal	Lab 1	(No comments)
AASHTO T312 Gyratory Compactor	2023-03-23	Active	Brandt Houchen	Lab 1	IA 112
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2024-02-12	Active	Sarbjit Grewal	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2024-02-12	Active	Sarbjit Grewal	Lab 1, Lab 3	(No comments)