

Certificates for Ali Rehman

Basic Information

First Name	Ali
Last Name	Rehman
Status	Active

Associated Labs

Total **1** item.

Lab Name	Manager Name	Full Address	District	Page Alias
AESCO, Incorporated	David Ryan	17782 Georgetown Lane, Huntington Beach, CA 92647	12	Lab 1

Test Methods

California Test (CT) Certifications

Total **40** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-11-05	Active	Soroosh Amelian	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2025-03-11	Active	Ashley Shaw	Lab 1	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2025-03-11	Active	Ashley Shaw	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-11-05	Active	Soroosh Amelian	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2025-03-11	Active	Ashley Shaw	Lab 1	(No comments)
CT 125 CEM Sampling - CEM	2025-03-11	Active	Ashley Shaw	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2025-03-11	Active	Ashley Shaw	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2025-03-11	Active	Ashley Shaw	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-11-05	Active	Soroosh Amelian	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-11-05	Active	Soroosh Amelian	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-11-05	Active	Soroosh Amelian	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2025-03-11	Active	Ashley Shaw	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2025-03-11	Active	Ashley Shaw	Lab 1	(No comments)
CT 211 LA Rattler	2025-07-17	Active	Majid Fahrtosh	Lab 1	(No comments)
CT 214 Sodium Sulfate Soundness	2025-03-11	Active	Ashley Shaw	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-11-05	Active	Soroosh Amelian	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-11-05	Active	Soroosh Amelian	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-11-05	Active	Soroosh Amelian	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-11-05	Active	Soroosh Amelian	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 229 Durability (JTCP - S&A)	2024-11-05	Active	Soroosh Amelian	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2024-11-03	Active	Babak Rezaei	Lab 1	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2025-03-11	Active	Ashley Shaw	(No lab)	(No comments)
CT 235 Flat and Elongated Particles	2025-03-11	Active	Ashley Shaw	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-09-14	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-09-14	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2025-03-11	Active	Ashley Shaw	Lab 1	Adjusted date to match cert. IA 135 Created based on CT521 certificate ID25641

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2025-03-11	Active	Ashley Shaw	Lab 1	Adjusted date to match cert. IA 135 Created based on CT521 certificate ID25641
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2024-09-14	Active	Robby Rodriguez	Lab 1	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2025-03-11	Active	Ashley Shaw	Lab 1	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2024-03-01	Expired	Donya Heidari	Lab 1	(No comments)
CT 531 Core Length - PCC	2024-11-03	Active	Babak Rezaei	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2024-11-03	Active	Babak Rezaei	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-09-14	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-09-14	Active	Sarbjit Grewal	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 541 Flow Cone	2024-11-03	Active	Babak Rezaei	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-09-14	Active	Sarbjit Grewal	(No lab)	(No comments)
CT 552 Relative Compaction of Polymer Concrete	2024-04-07	Expired	Shaya Meisamifard	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2024-09-14	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2024-09-14	Active	Sarbjit Grewal	Lab 1	(No comments)
CT 643 Resistivity and pH Measurements	2025-03-11	Active	Ashley Shaw	Lab 1	(No comments)

AASHTO/ASTM Proficiencies

Total 4 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T84 SpG & Absorption - Fine Aggregates	2024-11-03	Active	Babak Rezaei	(No lab)	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2024-11-03	Active	Babak Rezaei	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T96 L.A. Rattler	2024-11-03	Active	Babak Rezaei	(No lab)	(No comments)
AASHTO T304 Uncompacted Void - Fine Aggregate	2024-11-03	Active	Babak Rezaei	(No lab)	(No comments)