

Certificates for Jeff Polis

Basic Information

First Name	Jeff
Last Name	Polis
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total **29** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2022-12-06	Expired	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 ADMIX Sampling - ADMIXTURE	2019-08-30	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2022-12-06	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2019-08-30	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 125 CEM Sampling - CEM	2019-08-30	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 125 GEN Sampling - GENERAL	2019-08-30	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2021-03-14	Expired	Jeff Rush	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2022-12-06	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2022-12-06	Expired	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2022-12-06	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2022-12-06	Expired	Husam Makhoul	(No lab)	CSP suspension on 06/16/2022 for nonparticipation. Contact CSP@dot.ca.gov for unsuspension directions
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2022-12-06	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 229 Durability (JTCP - S&A)	2022-12-06	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2021-10-10	Expired	Jeff Rush	(No lab)	(No comments)
CT 308 Bulk SpG and Density - HMA	2019-01-05	Expired	Jeff Rush	(No lab)	(No comments)
CT 309 Max SpG and Density - HMA	2019-01-05	Expired	Jeff Rush	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2021-03-14	Expired	Jeff Rush	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2024-04-20	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2024-04-20	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2019-08-30	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2019-08-30	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2019-08-30	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 533 Ball Penetration - PCC	2019-08-30	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2024-04-20	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2024-04-20	Expired	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2024-04-20	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 552 Relative Compaction of Polymer Concrete	2017-08-30	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2024-04-20	Expired	Sarbjit Grewal	(No lab)	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2024-04-20	Expired	Sarbjit Grewal	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Total 6 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2019-01-05	Expired	Jeff Rush	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2019-01-05	Expired	Jeff Rush	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2019-01-05	Expired	Jeff Rush	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2019-01-05	Expired	Jeff Rush	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2019-01-05	Expired	Jeff Rush	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2019-01-05	Expired	Jeff Rush	(No lab)	(No comments)