

## Certificates for Fattah Kazi

### Basic Information

<b>First Name</b>	Fattah
<b>Last Name</b>	Kazi
<b>Status</b>	Active

### Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
Alta Vista Solutions	Baron Colbert	5900 Esperanza Ave, Whittier, CA 90606	7	Lab 1
Alta Vista Solutions – Blythe	Baron Colbert	431 South Broadway, Blythe, CA 92225	8	Lab 2

### Test Methods

#### California Test (CT) Certifications

Total 28 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
-------------	-----------------	--------	----------------	---------------------	----------

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2021-04-27	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2020-07-10	Expired	Brandt Houchen	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-04-27	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2020-07-10	Expired	Brandt Houchen	Lab 1, Lab 2	(No comments)
CT 125 CEM Sampling - CEM	2020-07-10	Expired	Brandt Houchen	Lab 1, Lab 2	(No comments)
CT 125 GEN Sampling - GENERAL	2020-07-10	Expired	Brandt Houchen	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2021-07-20	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2021-04-27	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2021-04-27	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2021-04-27	Expired	Biplab Bhattacharya	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2021-04-27	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2021-04-27	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2021-04-27	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2021-04-27	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 229 Durability (JTCP - S&A)	2021-04-27	Expired	Biplab Bhattacharya	Lab 1, Lab 2	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2021-06-08	Expired	Majid Fahrtoosh	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2021-03-01	Expired	Majid Fahrtosh	Lab 1, Lab 2	Practical exam given on 06/19/2020. Backdate to 08/01/2019 per Richard's request to accommodate for ACI opening date on August 2020.
CT 518 Unit Weight - PCC (JTCP - PCC)	2021-03-01	Expired	Majid Fahrtosh	Lab 1, Lab 2	Practical exam given on 06/19/2020. Backdate to 08/01/2019 per Richard's request to accommodate for ACI opening date on August 2020.
CT 521 Compressive Strength - PCC	2021-06-08	Expired	Majid Fahrtosh	Lab 2	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2021-06-08	Expired	Majid Fahrtosh	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2021-06-08	Expired	Majid Fahrtosh	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2021-06-08	Expired	Majid Fahrtosh	Lab 1, Lab 2	(No comments)
CT 533 Ball Penetration - PCC	2021-06-08	Expired	Majid Fahrtosh	Lab 1, Lab 2	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2021-03-01	Expired	Majid Fahrtosh	Lab 1, Lab 2	Practical exam given on 06/19/2020. Backdate to 08/01/2019 per Richard's request to accommodate for ACI opening date on August 2020.
CT 540 Making Cylinders - PCC (JTCP - PCC)	2021-03-01	Expired	Majid Fahrtosh	Lab 1, Lab 2	Practical exam given on 06/19/2020. Backdate to 08/01/2019 per Richard's request to accommodate for ACI opening date on August 2020.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 552 Relative Compaction of Polymer Concrete	2021-06-08	Expired	Majid Fahrtoosh	Lab 1, Lab 2	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2021-03-01	Expired	Majid Fahrtoosh	Lab 1, Lab 2	Practical exam given on 06/19/2020. Backdate to 08/01/2019 per Richard's request to accommodate for ACI opening date on August 2020.
CT 557 Temperature - PCC (JTCP - PCC)	2021-03-01	Expired	Majid Fahrtoosh	Lab 1, Lab 2	Practical exam given on 06/19/2020. Backdate to 08/01/2019 per Richard's request to accommodate for ACI opening date on August 2020.

## AASHTO/ASTM Proficiencies

Total 14 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2021-07-20	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2021-07-20	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2021-07-20	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2021-07-20	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2023-07-23	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2021-07-20	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2023-07-23	Active	Sarbjit Grewal	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2021-07-20	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2021-07-20	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2023-07-23	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2023-07-23	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2023-07-23	Active	Sarbjit Grewal	(No lab)	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2021-07-20	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2021-07-20	Expired	Biplab Bhattacharya	(No lab)	(No comments)