

## Certificates for Evan Folk

### Basic Information

<b>First Name</b>	Evan
<b>Last Name</b>	Folk
<b>Status</b>	Active

### Associated Labs

Total 1 item.

Lab Name	Manager Name	Full Address	District	Page Alias
Union Materials Testing Inc.	Adam Sinutko	2101 East Ventura Blvd., Oxnard, CA 93036	7	Lab 1

### Test Methods

#### California Test (CT) Certifications

Total 39 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2021-10-05	Expired	Biplab Bhattacharya	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Active	Majid Fahrtosh	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2021-10-05	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 125 AGG Sampling - AGGREGATES	2024-06-04	Active	Chad Claxton	Lab 1	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2018-06-30	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 125 GEN Sampling - GENERAL	2018-06-30	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2021-10-05	Expired	Biplab Bhattacharya	Lab 1	(No comments)
CT 125 HMA Sampling - HMA	2024-06-04	Active	Chad Claxton	Lab 1	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2023-06-30	Active	Majid Fahrtosh	Lab 1	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2018-04-20	Expired	Robby Rodriguez	Lab 1	(No comments)
CT 204 LL, PL, PI	2018-04-20	Expired	Robby Rodriguez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 205 Percent Crushed Particles (JTCP - S&A)	2018-04-20	Expired	Robby Rodriguez	Lab 1	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2023-06-04	Active	Chad Claxton	Lab 1	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2021-06-09	Expired	Seree Yenjai	Lab 1	(No comments)
CT 211 LA Rattler	2018-04-20	Expired	Robby Rodriguez	Lab 1	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2018-04-20	Expired	Robby Rodriguez	Lab 1	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2018-04-20	Expired	Robby Rodriguez	Lab 1	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2017-05-17	Expired	Majid Fahrtosh	Lab 1	(No comments)
CT 229 Durability (JTCP - S&A)	2018-04-20	Expired	Robby Rodriguez	Lab 1	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2023-06-04	Active	Chad Claxton	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 234 Uncompacted void - Fine Aggregates	2018-04-20	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 235 Flat and Elongated Particles	2018-04-20	Expired	Robby Rodriguez	Lab 1	(No comments)
CT 304 Sample Preparation - HMA	2023-06-04	Active	Chad Claxton	Lab 1	(No comments)
CT 308 Bulk SpG and Density - HMA	2023-06-04	Active	Chad Claxton	Lab 1	(No comments)
CT 309 Max SpG and Density - HMA	2023-06-04	Active	Chad Claxton	Lab 1	(No comments)
CT 366 Stabilometer	2018-04-20	Expired	Robby Rodriguez	Lab 1	(No comments)
CT 367 OBC	2018-04-20	Expired	Robby Rodriguez	Lab 1	(No comments)
CT 370 Moisture Content by Microwave	2018-04-20	Expired	Robby Rodriguez	Lab 1	(No comments)
CT 371 Moisture Induced Damage (TSR)	2018-04-20	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 375 AC Density by Nuclear Gage	2023-06-04	Active	Chad Claxton	Lab 1	(No comments)
CT 382 AC Content by Ignition Oven	2018-04-20	Expired	Robby Rodriguez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 384 Combined Grade for HMA using up to 25% RAP	2018-04-20	Expired	Robby Rodriguez	(No lab)	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2023-06-16	Active	Biplab Bhattacharya	Lab 1	(No comments)
CT 518 Unit Weight - PCC (JTCP - PCC)	2023-06-16	Active	Biplab Bhattacharya	Lab 1	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2023-06-16	Active	Biplab Bhattacharya	Lab 1	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2023-06-16	Active	Biplab Bhattacharya	Lab 1	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2023-06-16	Active	Biplab Bhattacharya	(No lab)	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2023-06-16	Active	Biplab Bhattacharya	Lab 1	(No comments)
CT 557 Temperature - PCC (JTCP - PCC)	2023-06-16	Active	Biplab Bhattacharya	Lab 1	(No comments)

## AASHTO/ASTM Proficiencies

Total **18** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2021-10-05	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2021-10-05	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2021-10-05	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2021-10-05	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2017-08-05	Expired	Majid Fahrtoosh	Lab 1	(No comments)
AASHTO T85 SpG & Absorption - Coarse Aggregates	2017-08-05	Expired	Majid Fahrtoosh	Lab 1	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2021-06-28	Expired	Biplab Bhattacharya	Lab 1	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2021-10-05	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2021-06-28	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2021-10-05	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2021-10-05	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2021-06-28	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2021-06-28	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2021-06-28	Expired	Biplab Bhattacharya	(No lab)	(No comments)
AASHTO T312 Gyratory Compactor	2018-04-20	Expired	Robby Rodriguez	(No lab)	(No comments)
AASHTO T324 Hamburg Wheel-Track	2018-04-20	Expired	Robby Rodriguez	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2021-10-05	Expired	Biplab Bhattacharya	Lab 1	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2021-10-05	Expired	Biplab Bhattacharya	Lab 1	(No comments)

Unofficial Copy