

Certificates for Stuart Ahumada

Basic Information

First Name	Stuart
Last Name	Ahumada
Status	Active

Associated Labs

Total 2 items.

Lab Name	Manager Name	Full Address	District	Page Alias
G3 Quality, Incorporated - Mobile Laboratory #1	Matthew Ramos	25837 Business Center Dr. Suite F, Redlands, CA 92374	8	Lab 1
G3 Quality, Incorporated	Matthew Ramos	13850 Cerritos Corporate Drive, Unit E, Cerritos, CA 90703	7	Lab 2

Test Methods

California Test (CT) Certifications

Total 23 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-12-09	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 106 Definitions - Specific Gravity (SpG)	2023-06-30	Expired	Ashley Shaw	Lab 1, Lab 2	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2019-11-06	Expired	Ashley Shaw	Lab 1, Lab 2	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-12-09	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2019-11-06	Expired	Ashley Shaw	Lab 1, Lab 2	(No comments)
CT 125 CEM Sampling - CEM	2019-11-06	Expired	Ashley Shaw	Lab 1, Lab 2	(No comments)
CT 125 GEN Sampling - GENERAL	2019-11-06	Expired	Ashley Shaw	Lab 1, Lab 2	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2025-03-25	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-12-09	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-12-09	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-12-09	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2025-12-09	Active	Avinash Ralla	Lab 2	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2025-12-09	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-12-09	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2025-12-09	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 229 Durability (JTCP - S&A)	2025-12-09	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
CT 304 Sample Preparation - HMA	2019-11-06	Expired	Ashley Shaw	Lab 2	(No comments)
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2025-03-25	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 308 Bulk SpG and Density - HMA	2019-11-06	Expired	Ashley Shaw	Lab 1, Lab 2	(No comments)
CT 309 Max SpG and Density - HMA	2019-11-06	Expired	Ashley Shaw	Lab 1, Lab 2	(No comments)
CT 370 Moisture Content by Microwave	2019-11-06	Expired	Ashley Shaw	Lab 1, Lab 2	(No comments)
CT 382 AC Content by Ignition Oven	2019-11-06	Expired	Ashley Shaw	Lab 1, Lab 2	(No comments)
CT 384 Combined Grade for HMA using up to 25% RAP	2019-11-06	Expired	Ashley Shaw	Lab 2	(No comments)

AASHTO/ASTM Proficiencies

Total 14 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2025-03-25	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2025-03-25	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2025-03-25	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2025-03-25	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2025-12-01	Active	Dalton LaBoskey	Lab 2	(No comments)
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2025-03-25	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2025-12-01	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
AASHTO T210 Aggregate Durability Index	2018-11-06	Expired	Ashley Shaw	Lab 1, Lab 2	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2025-03-25	Active	Avinash Ralla	Lab 2	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2025-12-01	Active	Dalton LaBoskey	Lab 2	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2025-12-01	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2025-12-01	Active	Dalton LaBoskey	Lab 1, Lab 2	(No comments)
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2025-03-25	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2025-03-25	Active	Avinash Ralla	Lab 1, Lab 2	(No comments)