

Certificates for Aaron Laughlin

Basic Information

First Name	Aaron
Last Name	Laughlin
Status	Active

Associated Labs

Total 4 items.

Lab Name	Manager Name	Full Address	District	Page Alias
G3 Quality, Incorporated - Mobile Laboratory #1	Matthew Ramos	25837 Business Center Dr. Suite F, Redlands, CA 92374	8	Lab 1
G3 Quality, Incorporated	Matthew Ramos	13850 Cerritos Corporate Drive, Unit E, Cerritos, CA 90703	7	Lab 2
G3 Quality, Incorporated - Redlands Laboratory	Matthew Ramos	25837 Business Center Drive, Suite F, Redlands, CA 92374	8	Lab 3
G3 Quality, Incorporated - Project Laboratory #1	Matthew Ramos	RTE 10/ RTE 15 Interchange, Ontario, CA 91761	8	Lab 4

Test Methods

California Test (CT) Certifications

Total 24 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-05-20	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-05-20	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2022-10-14	Incomplete	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 HMA Sampling - HMA	2026-02-14	Active	Rabiul Hyder	Lab 2, Lab 3, Lab 4	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-05-20	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-05-20	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-05-20	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2025-05-20	Active	Avinash Ralla	Lab 2, Lab 3, Lab 4	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2025-05-20	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-05-20	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2025-05-20	Active	Avinash Ralla	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 229 Durability (JTCP - S&A)	2025-05-20	Incomplete	Avinash Ralla	Lab 1, Lab 2, Lab 3, Lab 4	(No comments)
CT 231 Relative Compaction - Nuclear Gage	2025-02-14	Active	Rabiul Hyder	Lab 2, Lab 3	(No comments)
CT 504 Air Content of PCC - Pressure Method (JTCP - PCC)	2029-03-15	Active	Firooz Ahmad Hosainy	Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 518 Unit Weight - PCC (JTCP - PCC)	2029-03-15	Active	Firooz Ahmad Hosainy	Lab 2, Lab 3	(No comments)
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2029-03-15	Active	Firooz Ahmad Hosainy	Lab 2, Lab 3, Lab 4	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2025-11-29	Active	Babak Rezaei	Lab 2, Lab 3, Lab 4	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2025-11-29	Active	Babak Rezaei	Lab 2, Lab 3, Lab 4	(No comments)
CT 533 Ball Penetration - PCC	2025-11-29	Active	Babak Rezaei	Lab 2, Lab 3	(No comments)
CT 539 Sampling Fresh Concrete (JTCP - PCC)	2029-03-15	Active	Firooz Ahmad Hosainy	Lab 2, Lab 3	(No comments)
CT 540 Making Cylinders - PCC (JTCP - PCC)	2029-03-15	Active	Firooz Ahmad Hosainy	Lab 2, Lab 3, Lab 4	(No comments)
CT 543 Air Content of PCC - Volumetric Method (JTCP - PCC)	2029-03-15	Active	Firooz Ahmad Hosainy	Lab 2, Lab 3	(No comments)
CT 556 Slump - PCC (JTCP - PCC)	2029-03-15	Active	Firooz Ahmad Hosainy	Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 557 Temperature - PCC (JTCP - PCC)	2029-03-15	Active	Firooz Ahmad Hosainy	Lab 2, Lab 3	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					

Unofficial Copy