

Certificates for Julio Lugo

Basic Information

First Name	Julio
Last Name	Lugo
Status	Active

Associated Labs

Lab Name	Lab Lab Manager Name	Full Address	Lab Lab District	Page Alias
No results found.				

Test Methods

California Test (CT) Certifications

Total **16** items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2025-07-15	Active	Dalton LaBoskey	(No lab)	match dates of CT202.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2025-07-15	Active	Dalton LaBoskey	(No lab)	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2025-07-15	Active	Dalton LaBoskey	(No lab)	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2025-07-15	Active	Dalton LaBoskey	(No lab)	(No comments)
CT 204 LL, PL, PI	2022-03-22	Expired	Majid Fahrtosh	(No lab)	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2025-07-15	Active	Dalton LaBoskey	(No lab)	(No comments)
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2025-07-15	Active	Dalton LaBoskey	(No lab)	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2025-07-15	Active	Dalton LaBoskey	(No lab)	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2025-07-15	Active	Dalton LaBoskey	(No lab)	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2025-07-15	Active	Dalton LaBoskey	(No lab)	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 229 Durability (JTCP - S&A)	2025-07-15	Active	Dalton LaBoskey	(No lab)	(No comments)
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2022-11-02	Expired	Ashley Shaw	(No lab)	Created based on CT521 certificate ID53634
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2022-11-02	Expired	Ashley Shaw	(No lab)	Created based on CT521 certificate ID53634
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2020-11-12	Expired	Ashley Shaw	(No lab)	(No comments)
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2022-11-02	Expired	Majid Fehrtosh	(No lab)	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2022-11-02	Expired	Majid Fehrtosh	(No lab)	(No comments)

AASHTO/ASTM Proficiencies

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
No results found.					