

Certificates for Bryce Trudeau

Basic Information

First Name	Bryce
Last Name	Trudeau
Status	Active

Associated Labs

Total 3 items.

Lab Name	Manager Name	Full Address	District	Page Alias
G3 Quality, Incorporated - Mobile Laboratory #1	Matthew Ramos	25837 Business Center Dr. Suite F, Redlands, CA 92374	8	Lab 1
G3 Quality, Incorporated	Matthew Ramos	13850 Cerritos Corporate Drive, Unit E, Cerritos, CA 90703	7	Lab 2
G3 Quality, Incorporated - Redlands Laboratory	Matthew Ramos	25837 Business Center Drive, Suite F, Redlands, CA 92374	8	Lab 3

Test Methods

California Test (CT) Certifications

Total 39 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 105 Calculations - Gradings (JTCP - HMA I / S&A)	2024-12-10	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 ADMIX Sampling - ADMIXTURE	2024-11-02	Active	Rabiul Hyder	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 AGG Sampling - AGGREGATES (JTCP - HMA I / S&A)	2024-12-10	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 AGG Sampling - AGGREGATES	2024-11-02	Active	Rabiul Hyder	Lab 2, Lab 3	(No comments)
CT 125 BIT Sampling - BITUMINOUS	2024-11-02	Active	Rabiul Hyder	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 CEM Sampling - CEM	2024-11-02	Active	Rabiul Hyder	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 GEN Sampling - GENERAL	2024-11-02	Active	Rabiul Hyder	Lab 1, Lab 2, Lab 3	(No comments)
CT 125 HMA Sampling - HMA (JTCP - HMA I)	2024-12-10	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	Extend until Dec 14 2018

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 125 HMA Sampling - HMA	2024-11-02	Active	Rabiul Hyder	Lab 2, Lab 3	(No comments)
CT 201 Sample Preparation - Soil and Aggregates (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	(No comments)
CT 202 Sieve analysis - Fine and Coarse Aggregates (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	(No comments)
CT 204 LL, PL, PI	2025-10-20	Active	Babak Rezaei	Lab 2, Lab 3	(No comments)
CT 205 Percent Crushed Particles (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	(No comments)
CT 206 SpG & Absorption - Coarse Aggregates	2025-10-20	Active	Babak Rezaei	Lab 1, Lab 2, Lab 3	(No comments)
CT 207 SpG & Absorption - Fine Aggregates	2025-10-20	Active	Babak Rezaei	Lab 2, Lab 3	(No comments)
CT 211 LA Rattler	2024-09-20	Active	Benjamin Martinez	Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 216 Relative Compaction - Soils and Aggregates (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	Lab 2, Lab 3	(No comments)
CT 217 Sand Equivalent (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	(No comments)
CT 226 Moisture Content - Soils and Aggregates (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	(No comments)
CT 227 Cleanness Value (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	(No comments)
CT 229 Durability (JTCP - S&A)	2024-09-03	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	(No comments)
CT 234 Uncompacted void - Fine Aggregates	2025-10-20	Active	Babak Rezaei	Lab 2, Lab 3	(No comments)
CT 235 Flat and Elongated Particles	2025-10-20	Active	Babak Rezaei	Lab 2, Lab 3	(No comments)
CT 301 "R" Value	2026-02-15	Active	Roy(Chip) Denner	Lab 3	(No comments)
CT 304 Sample Preparation - HMA	2025-10-20	Active	Babak Rezaei	Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 306 Reducing Samples of Asphalt Mixtures (JTCP - HMA I)	2024-12-10	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	(No comments)
CT 308 Bulk SpG and Density - HMA	2025-10-20	Active	Babak Rezaei	Lab 1, Lab 2, Lab 3	(No comments)
CT 309 Max SpG and Density - HMA	2025-10-20	Active	Babak Rezaei	Lab 1, Lab 2, Lab 3	(No comments)
CT 366 Stabilometer	2025-10-20	Active	Babak Rezaei	Lab 2, Lab 3	(No comments)
CT 370 Moisture Content by Microwave	2025-10-20	Active	Babak Rezaei	Lab 1, Lab 2, Lab 3	(No comments)
CT 371 Moisture Induced Damage (TSR)	2025-10-20	Active	Babak Rezaei	Lab 2	(No comments)
CT 382 AC Content by Ignition Oven	2025-10-20	Active	Babak Rezaei	Lab 1, Lab 2, Lab 3	(No comments)
CT 384 Combined Grade for HMA using up to 25% RAP	2025-10-20	Active	Babak Rezaei	Lab 2, Lab 3	(No comments)
CT 389 Hamburg Wheel-Track	2026-02-15	Active	Roy(Chip) Denner	Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
CT 521.2 Compressive Strength - PCC (ASTM C39 / C1231)	2025-10-20	Active	Brandt Houchen	Lab 2, Lab 3	Created based on CT521 certificate ID63267
CT 521.1 Compressive Strength - PCC (ASTM C39 / C617)	2025-10-20	Active	Brandt Houchen	Lab 2, Lab 3	Created based on CT521 certificate ID63267
CT 523.1 Section B.1 & B.2 Flexural Strength (Field Fabrication) (JTCP - PCC)	2027-11-02	Suspended	Ashley Shaw	Lab 2, Lab 3	is not ACI Field Technician qualified. Needs to attend ACI and submit a TL-0116.
CT 523.2 Section B.3 Flexural Strength (Lab Test)	2025-10-20	Active	Babak Rezaei	Lab 2, Lab 3	(No comments)
CT 524 Flexural Strength of Rapid Strength - PCC	2025-10-20	Active	Babak Rezaei	Lab 2, Lab 3	(No comments)

AASHTO/ASTM Proficiencies

Total 23 items.

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T11 Sieve Analysis (Washing) - Fine Aggregates (JTCP - HMA I)	2024-12-10	Active	Dalton LaBoskey	Lab 1, Lab 2, Lab 3	Extend until Dec 14 2018
AASHTO T27 Sieve Analysis - Fine and Coarse Aggregates (JTCP - HMA I)	2024-12-10	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	Extend until Dec 14 2018
AASHTO R47 Reducing Samples of HMA (JTCP - HMA I)	2024-12-10	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO R76 Reducing Samples of Agg (JTCP - HMA I)	2024-12-10	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T84 SpG & Absorption - Fine Aggregates	2024-10-04	Active	Shaya Meisamifard	Lab 2, Lab 3	Brought Current with SRL records
AASHTO T85 SpG & Absorption - Coarse Aggregates	2024-10-04	Active	Shaya Meisamifard	Lab 1, Lab 2, Lab 3	Brought Current with SRL records
AASHTO T96 L.A. Rattler	2026-02-15	Active	Roy(Chip) Denner	Lab 2, Lab 3	(No comments)
AASHTO T166 Bulk SpG of Compacted HMA - SSD (JTCP - HMA II)	2024-11-18	Active	Dalton LaBoskey	Lab 2, Lab 3	(No comments)

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T176 Sand Equivalent (JTCP - HMA I)	2024-12-10	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	Extend until Dec 14 2018
AASHTO T209 Max SpG and Density - HMA (JTCP - HMA II)	2024-11-18	Active	Dalton LaBoskey	Lab 1, Lab 2, Lab 3	Brought Current with SRL records
AASHTO T210 Aggregate Durability Index	2026-02-15	Active	Roy(Chip) Denner	Lab 1, Lab 2, Lab 3	(No comments)
AASHTO T248 Reducing Samples of Agg. (JTCP - HMA I)	2021-12-07	Expired	Biplab Bhattacharya	Lab 2, Lab 3	(No comments)
AASHTO T255 Evaporable Moisture Content (JTCP - HMA I)	2024-12-10	Active	Soroosh Amelian	Lab 2, Lab 3	(No comments)
AASHTO T269 Percent Air Voids - HMA (JTCP - HMA II)	2024-11-18	Active	Dalton LaBoskey	Lab 2, Lab 3	Brought Current with SRL records
AASHTO T275 Bulk SpG - HMA (JTCP - HMA II)	2024-11-18	Active	Dalton LaBoskey	Lab 1, Lab 2, Lab 3	Brought Current with SRL records
AASHTO T283 Moisture Induced Damage (TSR)	2024-10-04	Active	Shaya Meisamifard	Lab 2, Lab 3	Brought Current with SRL records

Test Method	Expiration Date	Status	IA Responsible	Within Lab(s) Scope	Comments
AASHTO T304 Uncompacted Void - Fine Aggregate	2024-10-20	Active	Babak Rezaei	Lab 2, Lab 3	Brought Current with SRL records
AASHTO T308 AC Content (Ignition Oven) - HMA (JTCP - HMA II)	2024-11-18	Active	Dalton LaBoskey	Lab 1, Lab 2, Lab 3	Brought Current with SRL records
AASHTO T312 Gyratory Compactor	2024-10-04	Active	Shaya Meisamifard	Lab 1, Lab 2, Lab 3	Brought Current with SRL records
AASHTO T324 Hamburg Wheel-Track	2024-10-04	Active	Shaya Meisamifard	Lab 2, Lab 3	Brought Current with SRL records
AASHTO T329 Moisture Content (Oven Method) - HMA (JTCP - HMA I)	2024-12-10	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	Extend until Dec 14 2018
AASHTO T335 Percentage of Fracture (JTCP - HMA I)	2024-12-10	Active	Soroosh Amelian	Lab 1, Lab 2, Lab 3	Extend until Dec 14 2018
ASTM D4791 Flat and Elongated Particles	2024-10-04	Active	Shaya Meisamifard	Lab 2, Lab 3	Brought Current with SRL records